



Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 01/18/22 13:21

Customer: TribeTokes

Product identity: Birthday Cake CBD 0122

Client/Metrc ID:

Laboratory ID: 22-000591-0010

Summary

Potency:

oterioy.				
Analyte	Result (%)			
CBD	49.9		CBD-Total	49.9%
CBG [†]	10.5	• CBD		
CBE [†]	9.28	• CBG	THC-Total	0.233%
CBDV [†]	3.04	• CBE		
Δ9-THC	0.233	CBDV	(Reported in pe	ercent of total sample)
CBN	0.0876	• 9-THC		
		• CBN		

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.





Report Number:

22-000591/D011.R000

Report Date: 02
ORELAP#: 01

02/01/2022 OR100028

Purchase Order:

Received:

01/18/22 13:21

Customer: TribeTokes

United States of America (USA)

Product identity: Birthday Cake CBD 0122

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-000591-0010

Evidence of Cooling: No
Temp: 17.5 °C
Relinquished by: USPS

Sample Results

Potency	Method J	AOAC 2	2015 V98	-6 (mod)	Units %	Batch: 2200785	Analyze: 1/28/22	4:33:00 AM
Analyte	As Received	Dry weight	LOQ	Notes				
CBC	< LOQ		0.0855					
CBC-A [†]	< LOQ		0.0855					CBD
CBC-Total [†]	< LOQ		0.160					• CBG
CBD	49.9		0.855					CBECBDV
CBD-A	< LOQ		0.0855					9-THC
CBD-Total	49.9		0.930					O CBN
CBDV [†]	3.04		0.0855					
CBDV-A [†]	< LOQ		0.0855					
CBDV-Total [†]	3.04		0.160					
CBE [†]	9.28		0.0855					
CBG [†]	10.5		0.0855					
CBG-A [†]	< LOQ		0.0855					
CBG-Total	10.5		0.160					
CBL [†]	< LOQ		0.0855					
CBL-A [†]	< LOQ		0.0855					
CBL-Total [†]	< LOQ		0.160					
CBN	0.0876		0.0855					
CBT [†]	< LOQ		0.0855					
$\Delta 8\text{-THC}^{\dagger}$	< LOQ		0.0855					
$\Delta 8$ -THCV	< LOQ		0.0855					
Δ9-THC	0.233		0.0855					
THC-A	< LOQ		0.0855					
THC-Total	0.233		0.160					
THCV [†]	< LOQ		0.0855					
THCV-A [†]	< LOQ		0.0855					
THCV-Total [†]	< LOQ		0.160					
Total Cannabinoids†	73.0							



Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 ORELAP#: OR100028

Purchase Order:

01/18/22 13:21 Received:

Solvents	Method	Residua	al Solvents by GC/MS	Units µg/g Batch 2	2200807	Analyze 01/31/22 09:25 AM
Analyte	Result	Limits	LOQ Status Notes	Analyte	Result	Limits LOQ Status Notes
1,2-Dichloroethane†	< LOQ	1	1.00	2-Propanol (IPA)	< LOQ	5000 200
Acetone	< LOQ	5000	200	Acetonitrile	< LOQ	410 100
Benzene	< LOQ	1.00	1.00	Chloroform [†]	< LOQ	1.00 1.00
Ethyl acetate	< LOQ	5000	200	Ethyl ether	< LOQ	5000 200
Ethylene oxide	< LOQ	1.00	1.00	m,p-Xylene	< LOQ	200
Methanol	< LOQ	3000	200	Methylene chloride	< LOQ	1.00 1.00
n-Butane	< LOQ	5000	200	n-Heptane	< LOQ	5000 200
n-Hexane	< LOQ	290	30.0	n-Pentane	< LOQ	5000 200
o-Xylene	< LOQ		200	Propane	< LOQ	5000 200
Toluene	< LOQ	890	100	Total Xylenes	< LOQ	2170 400
Trichloroethylene [†]	< LOQ	1.00	1.00			



Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 ORELAP#: OR100028

Purchase Order:

Received: 01/18/22 13:21

Pesticides	Method	AOAC 2007.01 &	EN 15662 (mod	Units mg/kg Ba	tch 2200820	Analyze 01/31/22	12:08 PM
Analyte	Result	Limits LOQ Stat	us Notes	Analyte	Result	Limits LOQ Status	Notes
Abamectin	< LOQ	0.100 0.100		Acephate	< LOQ	0.100 0.100	
Acequinocyl	< LOQ	0.100 0.100		Acetamiprid	< LOQ	0.100 0.100	
Aldicarb	< LOQ	0.100 0.100		Azoxystrobin	< LOQ	0.100 0.100	
Bifenazate	< LOQ	0.100 0.100		Bifenthrin	< LOQ	3.00 3.00	
Boscalid	< LOQ	0.100 0.100		Captan	< LOQ	0.700 0.700	
Carbaryl	< LOQ	0.500 0.500		Carbofuran	< LOQ	0.100 0.100	
Chlorantraniliprole	< LOQ	10.0 3.00		Chlordane	< LOQ	0.1 0.100	
Chlorfenapyr	< LOQ	0.100 0.100		Chlorpyrifos	< LOQ	0.100 0.100	
Clofentezine	< LOQ	0.100 0.100		Coumaphos	< LOQ	0.100 0.100	
Cyfluthrin	< LOQ	2.00 2.00		Cypermethrin	< LOQ	1.00 1.00	
Daminozide	< LOQ	0.100 0.100		Diazinon	< LOQ	0.100 0.100	
Dichlorvos	< LOQ	0.100 0.100		Dimethoate	< LOQ	0.100 0.100	
Dimethomorph	< LOQ	2.00 2.00		Ethoprophos	< LOQ	0.100 0.100	
Etofenprox	< LOQ	0.100 0.100		Etoxazole	< LOQ	0.100 0.100	
Fenhexamid	< LOQ	0.100 0.100		Fenoxycarb	< LOQ	0.100 0.100	
Fenpyroximate	< LOQ	0.100 0.100		Fipronil	< LOQ	0.100 0.100	
Flonicamid	< LOQ	0.100 0.100		Fludioxonil	< LOQ	0.100 0.100	
Hexythiazox	< LOQ	0.100 0.100		Imazalil	< LOQ	0.100 0.100	
Imidacloprid	< LOQ	5.00 3.00		Kresoxim-methyl	< LOQ	0.100 0.100	
Malathion	< LOQ	0.500 0.500		Metalaxyl	< LOQ	2.00 2.00	
Methiocarb	< LOQ	0.100 0.100		Methomyl	< LOQ	1.00 1.00	
Mevinphos	< LOQ	0.100 0.100		Myclobutanil	< LOQ	0.100 0.100	
Naled	< LOQ	0.100 0.100		Oxamyl	< LOQ	0.500 0.500	
Paclobutrazole	< LOQ	0.100 0.100		Parathion-Methyl	< LOQ	0.100 0.100	
Permethrin	< LOQ	0.500 0.500		Phosmet	< LOQ	0.100 0.100	
Piperonyl butoxide	< LOQ	3.00 3.00		Prallethrin	< LOQ	0.100 0.100	
Propiconazole	< LOQ	0.100 0.100		Propoxur	< LOQ	0.100 0.100	
Pyrethrins (total)	< LOQ	0.500 0.500		Pyridaben	< LOQ	0.100 0.100	
Quintozene	< LOQ	0.100 0.100		Spinetoram	< LOQ	0.100 0.100	
Spinosad	< LOQ	0.100 0.100		Spiromesifen	< LOQ	0.100 0.100	
Spirotetramat	< LOQ	0.100 0.100		Spiroxamine	< LOQ	0.100 0.100	
Tebuconazole	< LOQ	0.100 0.100		Thiacloprid	< LOQ	0.100 0.100	
Thiamethoxam	< LOQ	5.00 3.00		Trifloxystrobin	< LOQ	0.100 0.100	

Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.20	mg/kg	0.0430	2200837	01/31/22	AOAC 2013.06 (mod.)	pass	Χ
Cadmium	< LOQ	0.20	mg/kg	0.0430	2200837	01/31/22	AOAC 2013.06 (mod.)	pass	X
Lead	< LOQ	0.50	mg/kg	0.0430	2200837	01/31/22	AOAC 2013.06 (mod.)	pass	Χ
Mercury	< LOQ	0.10	mg/kg	0.0215	2200837	01/31/22	AOAC 2013.06 (mod.)	pass	Χ





Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 01/18/22 13:21

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

μg/g = Microgram per gram
 mg/kg = Milligram per kilogram = parts per million (ppm)
 % = Percentage of sample
 % wt = μg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager





Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 01/18/22 13:21



Hemp / Cannabis Usable / Extract / Finished Products

Chain of Custody Record

Document Control ID: 2832 Revision: 1 Effective: 05/07/2021 ORELAPID: OR100028

							A	nalysis	Requ	ieste	d	_		,	O Number:	
St Ci	company: TribeTokes Contact: Chloe Shaw-Limary reet: 55 Madison Avenue, Suite 40 ty: Morristown State: 1 Email Results: chloe@tribetokes (949) 315-5196	IJ Zip: 0		potency H0010	Pesticides (CA) P2130	ents (CA) H0020	ils H0013							Proje Pro Custom Report t	ct Number: _ oject Name: _ Reporting: _ oo State I und time:	FribeTokes CBD Q1 2022 METRC or Other: 5 Business Day Standard Turnaround 3 Business Day Rush Turnaround* 2 Business Day Rush Turnaround* *Check for availability
Lab	Client Sample Identification	Date	Time	poter	Pesti	Solvents	Metals							Sample Type †	Weight (Units)	Comments/Metrc ID
	Mango Haze CBD 0122	11/13/22	1:11pm	Х	X	Х	X		JA					С	12g	· All samples are of hemp derived
	MediHaze CBD 0122				Х	X	X		K	1				С	12g	CBD extract (oil) mixed with strain specific terpenes
	Sour Tsunami CBD 0122				Х	Х	X							С	12g	
	Juicy Fruit CBD 0122	11/13/22	1:11pm	X	Х	X	X		10					С	12g	Please test to California Standards
	Remedy CBD 0122	11/13/22	1:11pm	X	Х	X	Х							С	12g	**** PLEASE TEST ONE SAMPLE
	Sweet Sour Widow CBD 0122				X	X	Х							С	12g	FIRST TO ENSURE IT PASSES CA STANDARDS, when it passes
	NYC Diesel CBD 0122	11/13/22	1:11pm	X	X	X	X							С	12g	then test the remaining 11
	Hawaiian Dream CBD 0122				Х	X	X							С	12g	Page 1 of 2
	CBD Kush 0122	11/13/22	1:11pm	Х	X	X	X							С	12g	
	Relinquished By:	Date	Time			Re	ceived	Ву;			Date		Time			Lab Use Only:
С	hloe Shaw-Limary	11/13/22	1:11pm			P	S				1/18/22		18:21	Evidence Sample i	of cooling: [n good condi Check [or □ Client drop Yes □ B*No - Temp (°C): □ 17.5°C I const TRes □ No □ □ CC+□ Net: □

+- Sample Type Codes: Vegetation [V]; Isolates (5); Extract/Concentrate (C); Tincture/Topical (T); Edible (E); Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current term of services associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitoker Way

Pr. (503) 254-1794 | Fax: (503) 254-1452

Page 1 of 1

Portland, OR 97230

Into@columbialaboratories.com

www.columbialaboratories.com





Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 01/18/22 13:21



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Document Control ID: 2832 Revision: 1 Effective: 05/07/2021 ORELAP ID: OR100028

				11,40		A	nalys	is Req	ueste	ed .				p	O Number:	
Street: 55 Madison Avenue, St. City: Morristown St. ☑ Email Results: chloe@tribe Ph: (949) 315-5198 □ Fx Re	Contact: Chloe Shaw-Limary treet: 55 Madison Avenue, Suite 400 ity: Morristown State: NJ Zip: Z Email Results: chloe@tribetokes.com h: (449.) 315-5196. ☐ Fx Results: ()_ Illing [if different]:		potency H0010	Pesticides (CA) P2130	Solvents (CA) H0020	Is H0013								Proje Pro Custom Report t	ct Number: _ sject Name:] Reporting: _ so State - und time:	TribeTokes CBD Q1 2022 METRC or Other: 5 Business Day Standard Turnaround 3 Business Day Rush Turnaround* 2 Business Day Rush Turnaround* *Check for availability
Lab ID Client Sample Identification	n Date	Time	poter	Pesti	Solve	Metals							1	Sample Type †	Weight (Units)	Comments/Metrc ID
Birthday Cake CBD 0		1:11pm	Х	X	Х	X							(C	12g	All samples are of hemp derived
CBD Shark 0122	11/13/22	1:11pm	X	X	X	X		Y	1				(C	12g	CBD extract (oil) mixed with strain specific terpenes
Northern Lights CBD 0	122 11/13/22	1:11pm	X	X	X	X							(0	12g	Please test to California Standards PLEASE TEST ONE SAMPLE FIRST TO ENSURE IT PASSES CA STANDARDS, when it passes then test the remaining 11
Relinguished By:	Date	Time			D _e	besiene	Rus			D	ate	Tim	ne			Page 2 of 2
Chloe Shaw-Lima	10010	C					(0.000	1								

+ - Sample Type Codes: Vegetation (V); Isolates (S); Extract/Concentrate (C); Tincture/Topical (1); Edible (E); Beverage (B)

Samples submitted in Columbia Laboraturies with testing requirements constitute an agreement for survices in accordance with the worset term of service associated with this COC. By signing "Relimquished by" you are agreeing to there terms 12423 NE Whitaker Way

Pr. (503) 254-1794 | Fax: (503) 254-1452

Page 1 of 1

WAVE. Columbia laboratories.com





Report Number: 22-000591/D011.R000

02/01/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 01/18/22 13:21



Document ID: 3177 Revision: 2 Effective: 06/25/2021 Page 1 of 1

lob	Number:	-		Searc	h Name:				
Pac	kage/Cooler	r opened on (i	f different than i	received date/time)	Date: 1/18/2	Z Time:	13-2	1	
		nitials): DS		by (Initials):		Time:			
1)	Were cust		utside of the pa	J. 2000 100 100 100 100 100 100 100 100 10		YES	NO	NA	
	Does date	match collecti	on date on COC	?		YES	NO	NA	
2)	Was Chain	of Custody (C	OC) included in t	he package/cooler?	?	YES	NO	NA	
3)	Was COC s	igned when re	linquished and r	eceived? (time, dat	e)?	YES) NO	NA	
4)	How was th	he package/co	oler delivered?						
	UPS	FEDEX	USPS	CLIENT COUR	RIER OT	HER:		_	
	Tracking	Number (writt	en in or copy of	shipping label): 🤦	505 51	5069	91	2014	9318
5)	Was packir	ng material use	ed?			YES	NO	NA	
	Peanuts	Bubble Wra	Foam Pa	per Other:				1	
5)		erature upon r		(if appropriate)?		YES	NO	(NA)	
	Proceed?	it contacted				YES	NO		
7)	Was there	e evidence of c	ooling?			YES	NO	NA NA	
	What kind	d? Blue	ice Ice	Cooler Packs	Dry Ice		-		
3)	Were all sa	ample containe	ers sealed in sep	arate plastic bags?		YES	(NO)	NA	
9)	Did all sam	ple containers	arrive in good	condition?		YES	NO	NA	
10)	Were all sa	imple containe	er labels comple	te?		YES	NO	NA	
11)	Did all sam	ple container	labels and tags a	agree with the COC?	,	YES	NO	NA	
12)	Were corre	ect sample cor	ntainers used for	the tests indicated	?	YES	NO	NA	
13)	Were VOA	vials checked	for absence of a	ir bubbles (note if fo	ound)?	YES	NO	NA	
14)	Was a suffi	icient amount	of sample sent i	n each sample conta	ainer?	YES	NO	NA	
100		ation prior to I	Same State of the Control of the Con	9 R44 F44	Ambient Shel	Canna	bis Tabl	e Other:_	
Exp	lain a ny dis e	crepancies:	17.50						(s)
		-							





Report Number: 22-000591/D011.R000

02/01/2022 Report Date: ORELAP#: OR100028

Purchase Order:

01/18/22 13:21 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

		Labor	atory	Quality Co	ontrol Results		
J AOAC 2015 V9	8-6				ch ID: 2200785		
Laboratory Cont	rol Sample						
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.195	0.2	%	97.5	85.0 - 115	Acceptable	
CBDV	0.212	0.2	%	106	85.0 - 115	Acceptable	
CBE	0.193	0.2	%	96.4	85.0 - 115	Acceptable	
CBDA	0.209	0.2	%	105	85.0 - 115	Acceptable	
CBGA	0.195	0.2	%	97.6	85.0 - 115	Acceptable	
CBG	0.189	0.2	%	94.3	85.0 - 115	Acceptable	
CBD	0.196	0.2	%	97.9	85.0 - 115	Acceptable	
THCV	0.181	0.2	%	90.5	85.0 - 115	Acceptable	
d8THCV	0.180	0.2	%	89.9	85.0 - 115	Acceptable	
THCVA	0.194	0.2	%	96.9	85.0 - 115	Acceptable	
CBN	0.188	0.2	%	94.2	85.0 - 115	Acceptable	
exo-THC	0.174	0.2	%	86.8	85.0 - 115	Acceptable	
d9THC	0.184	0.2	%	91.9	85.0 - 115	Acceptable	
d8THC	0.173	0.2	%	86.7	85.0 - 115	Acceptable	
CBL	0.187	0.2	%	93.5	85.0 - 115	Acceptable	
CBC	0.175	0.2	%	87.7	85.0 - 115	Acceptable	
THCA	0.196	0.2	%	98.0	85.0 - 115	Acceptable	
CBCA	0.199	0.2	%	99.6	85.0 - 115	Acceptable	
CBLA	0.194	0.2	%	97.1	85.0 - 115	Acceptable	
CBT	0.229	0.2	%	115	85.0 - 115	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<l0q< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></l0q<>	0.1	%	< 0.1	Acceptable	
d9THC	<l0q< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></l0q<>	0.1	%	< 0.1	Acceptable	
d8THC	<l0q< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></l0q<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 22-000591/D011.R000

02/01/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 01/18/22 13:21

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V	98-6				Bato	ch ID: 2200785		
Sample Duplica	te				Samı	ole ID: 22-00059	91-0002	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDV	3.05	3.09	0.1	%	1.28	< 20	Acceptable	
CBE	9.26	9.38	0.1	%	1.25	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBG	10.6	10.7	0.1	%	1.04	< 20	Acceptable	
CBD	49.2	49.9	0.1	%	1.44	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d9THC	0.233	0.240	0.1	%	3.19	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><l0q< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.1	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 ORELAP#: OR100028

Purchase Order:

Received: 01/18/22 13:21

Revision: Document ID: Legacy ID: Effective:

	Lab	orator	y Qual	ity Contro	ol Results						Lega
Residual Solvents						Ba	tch ID:	220080	07		
Method Blank					Laborato	y Control S	ample				
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	Lin	nits	Notes
Propane	ND	<	200		386	401	µg/g	96.3	70	- 130	
Isobutane	ND	<	200		419	498	µg/g	84.1	70	- 130	
Butane	ND	<	200		415	493	µg/g	84.2	70	- 130	
2,2-Dimethylpropane	ND	<	200		653	628	μg/g	104.0	70	- 130	
Methanol	ND	<	200		1450	1610	μg/g	90.1	70	- 130	
Ethylene Oxide	ND	<	30		31	37.2	μg/g	83.3	70	- 130	
2-Methylbutane	ND	<	200		1450	1630	µg/g	89.0	70	- 130	
Pentane	ND	<	200		1510	1610	µg/g	93.8	70	- 130	
Ethanol	ND	<	200		1320	1630	µg/g	81.0	70	- 130	
Ethyl Ether	ND	<	200		1420	1610	µg/g	88.2	70	- 130	
2,2-Dimethylbutane	ND	<	30		172	165	μg/g	104.2	70	- 130	
Acetone	ND	<	200		1570	1610	μg/g	97.5	70	- 130	
2-Propanol	ND	<	200		1590	1610	μg/g	98.8	70	- 130	
Acetonitrile	ND	<	100		564	498	μg/g	113.3	70	- 130	
2,3-Dimethylbutane	ND	<	30		161	162	μg/g	99.4	70	- 130	
Dichloromethane	ND	<	60		469	498	μg/g	94.2	70	- 130	
2-Methylpentane	ND	<	30		183	167	μg/g	109.6	70	- 130	
3-Methylpentane	ND	<	30		178	179	µg/g	99.4	70	- 130	
Hexane	ND	<	30		138	164	µg/g	84.1	70	- 130	
Ethyl acetate	ND	<	200		1440	1620	µg/g	88.9	70	- 130	
2-Butanol	ND	<	200		1450	1600	μg/g	90.6	70	- 130	
Tetrahydrofuran	ND	<	100		415	500	μg/g	83.0	70	- 130	
Cyclohexane	ND	<	200		1430	1610	μg/g	88.8	70	- 130	
Benzene	ND	<	1		5.49	5.62	µg/g	97.7	70	- 130	
Isopropyl Acetate	ND	<	200		1650	1610	µg/g	102.5	70	- 130	
Heptane	ND	<	200		1680	1610	µg/g	104.3	70	- 130	
1,4-Dioxane	ND	<	100		482	502	µg/g	96.0	70	- 130	
2-Ethoxyethanol	ND	<	30		151	164	μg/g	92.1	70	- 130	
Ethylene Glycol	ND	<	200		500	502	μg/g	99.6	70	- 130	
Toluene	ND	<	200		469	488	µg/g	96.1	70	- 130	
Ethylbenzene	ND	<	200		925	965	µg/g	95.9	70	- 130	
m,p-Xylene	ND	<	200		956	990	µg/g	96.6	70	- 130	
o-Xylene	ND	<	200		907	971	μg/g	93.4	70	- 130	
Cumene	ND	<	30		160	179	μg/g	89.4	70	- 130	
1,2-Dichloroethane	ND	<	1		1.1	1	µg/g	110.0	70	- 130	
Chloroform	ND	<	1		1.03	1	µg/g	103.0	70	- 130	
Trichloroethylene	ND	<	1		0.974	1	µg/g	97.4	70	- 130	





Report Number: 22-000591/D011.R000

Report Date: 02/01/2022 ORELAP#: OR100028

Purchase Order:

01/18/22 13:21 Received:

Revision: Document ID: Legacy ID: Effective:

Analyte	Pocult	Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes
Propane	ND ND	ND ND	200 μg/g	0.0	< 20	Acceptable	Notes
Propane Isobutane	ND ND	ND ND	100	0.0	< 20	Acceptable	
Butane	ND ND	ND ND	200 μg/g 200 μg/g	0.0	< 20	Acceptable	
2.2-Dimethylpropane	ND ND	ND ND	200 μg/g 200 μg/g	0.0	< 20	Acceptable	
Methanol	ND ND	ND ND	200 μg/g 200 μg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND ND	ND ND	30 μg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND ND	ND ND	200 це/е	0.0	< 20	Acceptable	
Pentane	ND ND	ND ND	200 μg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 μg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60 μg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 μg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 μg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 μg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 μg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1 μg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1 μg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1 μg/g	0.0	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure:

μg/g- Microgram per gram or ppm





Report Number: 22-000591/D011.R000

02/01/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 01/18/22 13:21

Explanation of QC Flag Comments:

Code	Explanation					
Q	Matrix interferences affecting spike or surrogate recoveries.					
Q1	Quality control result biased high. Only non-detect samples reported.					
Q2	Quality control outside QC limits. Data considered estimate.					
Q3	Sample concentration greater than four times the amount spiked.					
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.					
Q5	Spike results above calibration curve.					
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.					
R	Relative percent difference (RPD) outside control limit.					
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.					
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.					
LOQ1	Quantitation level raised due to low sample volume and/or dilution.					
LOQ2	Quantitaion level raised due to matrix interference.					
В	Analyte detected in method blank, but not in associated samples.					
B1	The sample concentration is greater than 5 times the blank concentration.					
B2	The sample concentration is less than 5 times the blank concentration.					