



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Customer: TribeTokes
Product identity: CBD Green Crack 0122
Project Number: 0122
Client/Metric ID: .
Laboratory ID: 22-001757-0004

Summary

Potency:

Analyte	Result (%)		
CBD	48.8		
CBG†	10.5		
CBE†	8.92		
CBDV†	2.91		
Δ9-THC	0.235		
Δ8-THC†	0.121		
CBN	0.0894		
			CBD-Total 48.8%
			THC-Total 0.235%
			(Reported in percent of total sample)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Customer: TribeTokes
United States of America (USA)
Product identity: CBD Green Crack 0122
Project Number: 0122
Client/Metric ID: .
Sample Date:
Laboratory ID: 22-001757-0004
Evidence of Cooling: No
Temp: 20.9 °C
Relinquished by: USPS

Sample Results

Potency	Method J AOAC 2015 V98-6 (mod)			Units %	Batch: 2201445	Analyze: 2/18/22 11:41:00 AM
Analyte	As Received	Dry weight	LOQ	Notes		
CBC	< LOQ		0.0850			
CBC-A†	< LOQ		0.0850			
CBC-Total†	< LOQ		0.160			
CBD	48.8		0.850			
CBD-A	< LOQ		0.0850			
CBD-Total	48.8		0.925			
CBDV†	2.91		0.0850			
CBDV-A†	< LOQ		0.0850			
CBDV-Total†	2.91		0.159			
CBE†	8.92		0.0850			
CBG†	10.5		0.0850			
CBG-A†	< LOQ		0.0850			
CBG-Total	10.5		0.159			
CBL†	< LOQ		0.0850			
CBL-A†	< LOQ		0.0850			
CBL-Total†	< LOQ		0.160			
CBN	0.0894		0.0850			
CBT†	< LOQ		0.0850			
Δ8-THC†	0.121		0.0850			
Δ8-THCV	< LOQ		0.0850			
Δ9-THC	0.235		0.0850			
THC-A	< LOQ		0.0850			
THC-Total	0.235		0.160			
THCV†	< LOQ		0.0850			
THCV-A†	< LOQ		0.0850			
THCV-Total†	< LOQ		0.159			
Total Cannabinoids†	71.6					



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Solvents						Method Residual Solvents by GC/MS						Units µg/g				Batch 2201443				Analyze 02/18/22 10:44 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,2-Dichloroethane [†]	< LOQ	1	1.00			2-Propanol (IPA)	< LOQ	5000	200			Acetonitrile	< LOQ	410	100			Chloroform [†]	< LOQ	1.00	1.00		
Acetone	< LOQ	5000	200			Ethyl ether	< LOQ	5000	200			m,p-Xylene	< LOQ		200			Methylene chloride	< LOQ	1.00	1.00		
Benzene	< LOQ	1.00	1.00			n-Heptane	< LOQ	5000	200			n-Pentane	< LOQ	5000	200			Propane	< LOQ	5000	200		
Ethyl acetate	< LOQ	5000	200			Total Xylenes	< LOQ	2170	400														
Ethylene oxide	< LOQ	1.00	1.00																				
Methanol	< LOQ	3000	200																				
n-Butane	< LOQ	5000	200																				
n-Hexane	< LOQ	290	30.0																				
o-Xylene	< LOQ		200																				
Toluene	< LOQ	890	100																				
Trichloroethylene [†]	< LOQ	1.00	1.00																				



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Pesticides						Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2201501 Analyze 02/21/22 02:56 PM					
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.100	0.100			Acephate	< LOQ	0.100	0.100		
Acequinocyl	< LOQ	0.100	0.100			Acetamiprid	< LOQ	0.100	0.100		
Aldicarb	< LOQ	0.100	0.100			Azoxystrobin	< LOQ	0.100	0.100		
Bifenazate	< LOQ	0.100	0.100			Bifenthrin	< LOQ	3.00	3.00		
Boscalid	< LOQ	0.100	0.100			Captan	< LOQ	0.700	0.700		
Carbaryl	< LOQ	0.500	0.500			Carbofuran	< LOQ	0.100	0.100		
Chlorantraniliprole	< LOQ	10.0	3.00			Chlordane	< LOQ	0.1	0.100		
Chlorfenapyr	< LOQ	0.100	0.100			Chlorpyrifos	< LOQ	0.100	0.100		
Clofentezine	< LOQ	0.100	0.100			Coumaphos	< LOQ	0.100	0.100		
Cyfluthrin	< LOQ	2.00	2.00			Cypermethrin	< LOQ	1.00	1.00		
Daminozide	< LOQ	0.100	0.100			Diazinon	< LOQ	0.100	0.100		
Dichlorvos	< LOQ	0.100	0.100			Dimethoate	< LOQ	0.100	0.100		
Dimethomorph	< LOQ	2.00	2.00			Ethoprophos	< LOQ	0.100	0.100		
Etofenprox	< LOQ	0.100	0.100			Etoxazole	< LOQ	0.100	0.100		
Fenhexamid	< LOQ	0.100	0.100			Fenoxycarb	< LOQ	0.100	0.100		
Fenpyroximate	< LOQ	0.100	0.100			Fipronil	< LOQ	0.100	0.100		
Flonicamid	< LOQ	0.100	0.100			Fludioxonil	< LOQ	0.100	0.100		
Hexythiazox	< LOQ	0.100	0.100			Imazalil	< LOQ	0.100	0.100		
Imidacloprid	< LOQ	5.00	3.00			Kresoxim-methyl	< LOQ	0.100	0.100		
Malathion	< LOQ	0.500	0.500			Metalaxyl	< LOQ	2.00	2.00		
Methiocarb	< LOQ	0.100	0.100			Methomyl	< LOQ	1.00	1.00		
Mevinphos	< LOQ	0.100	0.100			Myclobutanil	< LOQ	0.100	0.100		
Naled	< LOQ	0.100	0.100			Oxamyl	< LOQ	0.500	0.500		
Paclobutrazole	< LOQ	0.100	0.100			Parathion-Methyl	< LOQ	0.100	0.100		
Permethrin	< LOQ	0.500	0.500			Phosmet	< LOQ	0.100	0.100		
Piperonyl butoxide	< LOQ	3.00	3.00			Prallethrin	< LOQ	0.100	0.100		
Propiconazole	< LOQ	0.100	0.100			Propoxur	< LOQ	0.100	0.100		
Pyrethrins (total)	< LOQ	0.500	0.500			Pyridaben	< LOQ	0.100	0.100		
Quintozene	< LOQ	0.100	0.100			Spinetoram	< LOQ	0.100	0.100		
Spinosad	< LOQ	0.100	0.100			Spiromesifen	< LOQ	0.100	0.100		
Spirotetramat	< LOQ	0.100	0.100			Spiroxamine	< LOQ	0.100	0.100		
Tebuconazole	< LOQ	0.100	0.100			Thiacloprid	< LOQ	0.100	0.100		
Thiamethoxam	< LOQ	5.00	3.00			Trifloxystrobin	< LOQ	0.100	0.100		

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyte	Method	Status	Notes	
Arsenic	< LOQ	0.20	mg/kg	0.0467	2201429	02/17/22	AOAC 2013.06 (mod.)	pass	X	
Cadmium	< LOQ	0.20	mg/kg	0.0467	2201429	02/17/22	AOAC 2013.06 (mod.)	pass	X	
Lead	< LOQ	0.50	mg/kg	0.0467	2201429	02/17/22	AOAC 2013.06 (mod.)	pass	X	
Mercury	< LOQ	0.10	mg/kg	0.0233	2201429	02/17/22	AOAC 2013.06 (mod.)	pass	X	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23



Document ID: 3177 Revision: 2
Effective: 06/25/2021
Page 1 of 1

Job Number: _____ Search Name: _____

Package/Cooler opened on (if different than received date/time) Date: 2-15-22 Time: 15:23

Received By (Initials): JS Logged in by (Initials): _____ Date: _____ Time: _____

1) Were custody seals on outside of the package/cooler? YES NO NA
If YES, how many and where? _____

Does date match collection date on COC? _____ YES NO NA

2) Was Chain of Custody (COC) included in the package/cooler? YES NO NA

3) Was COC signed when relinquished and received? (time, date)? YES NO NA

4) How was the package/cooler delivered?

UPS FEDEX USPS CLIENT COURIER OTHER: _____

Tracking Number (written in or copy of shipping label): EJ 121 480 163 US

5) Was packing material used? YES NO NA

Peanuts Bubble Wrap Foam Paper Other: _____

6) Was temperature upon receipt 4°C+/- 2°C (if appropriate)? YES NO NA

If not, client contacted: _____

Proceed? YES NO

7) Was there evidence of cooling? YES NO NA

What kind? Blue Ice Ice Cooler Packs Dry Ice

8) Were all sample containers sealed in separate plastic bags? YES NO NA

9) Did all sample containers arrive in good condition? YES NO NA

10) Were all sample container labels complete? YES NO NA

11) Did all sample container labels and tags agree with the COC? YES NO NA

12) Were correct sample containers used for the tests indicated? YES NO NA

13) Were VOA vials checked for absence of air bubbles (note if found)? YES NO NA

14) Was a sufficient amount of sample sent in each sample container? YES NO NA

16) Sample location prior to login: R99 R39 R44 F44 Ambient Shelf Cannabis Table Other: _____

Explain any discrepancies: _____



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Revision: Document ID:
Legacy ID: Effective:

Laboratory Quality Control Results									
Residual Solvents				Batch ID: 2201443					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		555	572	µg/g	97.0	70 - 130	
Isobutane	ND	< 200		657	731	µg/g	89.9	70 - 130	
Butane	ND	< 200		662	731	µg/g	90.6	70 - 130	
2,2-Dimethylpropane	ND	< 200		935	936	µg/g	99.9	70 - 130	
Methanol	ND	< 200		1290	1610	µg/g	80.1	70 - 130	
Ethylene Oxide	ND	< 30		52.4	56.2	µg/g	93.2	70 - 130	
2-Methylbutane	ND	< 200		1260	1630	µg/g	77.3	70 - 130	
Pentane	ND	< 200		1250	1610	µg/g	77.6	70 - 130	
Ethanol	ND	< 200		1230	1630	µg/g	75.5	70 - 130	
Ethyl Ether	ND	< 200		1230	1610	µg/g	76.4	70 - 130	
2,3-Dimethylbutane	ND	< 30		127	165	µg/g	77.0	70 - 130	
Acetone	ND	< 200		1400	1610	µg/g	87.0	70 - 130	
2-Propanol	ND	< 200		1290	1610	µg/g	80.1	70 - 130	
Acetonitrile	ND	< 100		378	498	µg/g	75.9	70 - 130	
2,3-Dimethylbutane	ND	< 30		133	162	µg/g	82.1	70 - 130	
Dichloromethane	ND	< 60		376	498	µg/g	75.5	70 - 130	
2-Methylpentane	ND	< 30		133	167	µg/g	79.6	70 - 130	
3-Methylpentane	ND	< 30		129	179	µg/g	72.1	70 - 130	
Hexane	ND	< 30		120	164	µg/g	73.2	70 - 130	
Ethyl acetate	ND	< 200		1340	1620	µg/g	82.7	70 - 130	
2-Butanol	ND	< 200		1250	1600	µg/g	78.1	70 - 130	
Tetrahydrofuran	ND	< 100		393	500	µg/g	78.6	70 - 130	
Cyclohexane	ND	< 200		1390	1610	µg/g	86.3	70 - 130	
Benzene	ND	< 1		7.52	5.62	µg/g	133.8	70 - 130	
Isopropyl Acetate	ND	< 200		1500	1610	µg/g	93.2	70 - 130	
Heptane	ND	< 200		1440	1610	µg/g	89.4	70 - 130	
1,4-Dioxane	ND	< 100		393	502	µg/g	77.9	70 - 130	
2-Ethoxyethanol	ND	< 30		133	164	µg/g	81.1	70 - 130	
Ethylene Glycol	ND	< 200		493	502	µg/g	98.2	70 - 130	
Toluene	ND	< 200		415	488	µg/g	85.0	70 - 130	
Ethylbenzene	ND	< 200		826	965	µg/g	85.6	70 - 130	
m,p-Xylene	ND	< 200		816	990	µg/g	82.4	70 - 130	
o-Xylene	ND	< 200		820	971	µg/g	84.4	70 - 130	
Cumene	ND	< 30		147	179	µg/g	82.1	70 - 130	
1,2-Dichloroethane	ND	< 1		1.09	1	µg/g	109.0	70 - 130	
Chloroform	ND	< 1		1.03	1	µg/g	103.0	70 - 130	
Trichloroethylene	ND	< 1		0.869	1	µg/g	86.9	70 - 130	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Revision: Document ID:
Legacy ID: Effective:

QC - Sample Duplicate

Sample ID: 22-001723-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	228	231	200	µg/g	1.3	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6								
Batch ID: 0								
Laboratory Control Sample								
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes	
CBDVA	0.197	0.2	%	98.3	85.0 - 115	Acceptable		
CBDV	0.207	0.2	%	104	85.0 - 115	Acceptable		
CBE	0.190	0.2	%	94.9	85.0 - 115	Acceptable		
CBDA	0.204	0.2	%	102	85.0 - 115	Acceptable		
CBGA	0.194	0.2	%	97.2	85.0 - 115	Acceptable		
CBG	0.199	0.2	%	99.7	85.0 - 115	Acceptable		
CBD	0.215	0.2	%	108	85.0 - 115	Acceptable		
THCV	0.198	0.2	%	99.0	85.0 - 115	Acceptable		
d8THCV	0.194	0.2	%	97.2	85.0 - 115	Acceptable		
THCVA	0.187	0.2	%	93.7	85.0 - 115	Acceptable		
CBN	0.217	0.2	%	108	85.0 - 115	Acceptable		
exo-THC	0.186	0.2	%	92.9	85.0 - 115	Acceptable		
d9THC	0.205	0.2	%	103	85.0 - 115	Acceptable		
d8THC	0.197	0.2	%	98.6	85.0 - 115	Acceptable		
CBL	0.180	0.2	%	89.8	85.0 - 115	Acceptable		
CBC	0.207	0.2	%	104	85.0 - 115	Acceptable		
THCA	0.200	0.2	%	100	85.0 - 115	Acceptable		
CBCA	0.200	0.2	%	100	85.0 - 115	Acceptable		
CBLA	0.200	0.2	%	99.9	85.0 - 115	Acceptable		
CBT	0.188	0.2	%	93.8	85.0 - 115	Acceptable		

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	< LOQ	0.1	%	< 0.1	Acceptable		
CBDV	< LOQ	0.1	%	< 0.1	Acceptable		
CBE	< LOQ	0.1	%	< 0.1	Acceptable		
CBDA	< LOQ	0.1	%	< 0.1	Acceptable		
CBGA	< LOQ	0.1	%	< 0.1	Acceptable		
CBG	< LOQ	0.1	%	< 0.1	Acceptable		
CBD	< LOQ	0.1	%	< 0.1	Acceptable		
THCV	< LOQ	0.1	%	< 0.1	Acceptable		
d8THCV	< LOQ	0.1	%	< 0.1	Acceptable		
THCVA	< LOQ	0.1	%	< 0.1	Acceptable		
CBN	< LOQ	0.1	%	< 0.1	Acceptable		
exo-THC	< LOQ	0.1	%	< 0.1	Acceptable		
d9THC	< LOQ	0.1	%	< 0.1	Acceptable		
d8THC	< LOQ	0.1	%	< 0.1	Acceptable		
CBL	< LOQ	0.1	%	< 0.1	Acceptable		
CBC	< LOQ	0.1	%	< 0.1	Acceptable		
THCA	< LOQ	0.1	%	< 0.1	Acceptable		
CBCA	< LOQ	0.1	%	< 0.1	Acceptable		
CBLA	< LOQ	0.1	%	< 0.1	Acceptable		
CBT	< LOQ	0.1	%	< 0.1	Acceptable		

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6						Batch ID: 0		
Sample Duplicate						Sample ID: 22-001757-0001		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBDV	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBD A	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBD	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
d8THCV	0.422	0.424	0.1	%	0.408	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
d9THC	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
d8THC	84.9	84.0	0.1	%	1.01	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.1	%	NA	< 20	Acceptable	
CBT	0.206	0.213	0.1	%	3.25	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-001757/D002.R000
Report Date: 02/21/2022
ORELAP#: OR100028
Purchase Order:
Received: 02/15/22 15:23

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.