



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794




Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Customer: TribeTokes
Product identity: Gelato HHC
Project Number: HCD120622
Client/Metric ID: .
Laboratory ID: 22-015363-0003

Summary

Potency:

Analyte	Result (%)	 - HHC (9R-Hexahydrocannabinol) - HHC (9S-Hexahydrocannabinol) - CBD - CBG - CBN		
HHC (9R-Hexahydrocannabinol)	39.3		CBD-Total	5.82%
HHC (9S-Hexahydrocannabinol)	28.3			
CBD	5.82		THC-Total	<LOQ
CBG	1.27			
CBN	0.457		(Reported in percent of total sample)	

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794




Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Customer: TribeTokes
3505 Cadillac Ave Building E
Costa Mesa 92626
United States of America (USA)

Product identity: Gelato HHC
Project Number: HCD120622
Client/Metric ID: .
Sample Date:
Laboratory ID: 22-015363-0003
Evidence of Cooling: No
Temp: 10.6
Relinquished by: ups

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^b			Units %	Batch: 2210787	Analyze: 12/20/22 7:12:00 AM
Analyte	As Received	Dry weight	LOQ	Notes	 - HHC (9R-Hexahydrocannabinol) - HHC (9S-Hexahydrocannabinol) - CBD - CBG - CBN	
CBD	5.82		0.0743			
CBD-A	< LOQ		0.0743			
CBD-Total	5.82		0.140			
CBG	1.27		0.0743			
CBG-A	< LOQ		0.0743			
CBG-Total	1.27		0.139			
CBN	0.457		0.0743			
Δ10-THC	< LOQ		0.0743			
Δ8-THC	< LOQ		0.0743			
Δ9-THC	< LOQ		0.0743			
HHC (9R-Hexahydrocannabinol)	39.3		0.743			
HHC (9S-Hexahydrocannabinol)	28.3		0.743			
THC-A	< LOQ		0.0743			
THC-O-Acetate, delta-8	< LOQ		0.0743			
THC-O-Acetate, delta-9	< LOQ		0.0743			
THC-Total	< LOQ		0.140			
Total Cannabinoids	75.1					



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Solvents						Method: Residual Solvents by GC/MS ^b	Units µg/g	Batch 2210793	Analyze 12/20/22 01:41 PM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
1,2-Dichloroethane	< LOQ	1.00	1.00	pass		2-Propanol (IPA)	< LOQ	5000	200	pass			
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass			
Benzene	< LOQ	1.00	1.00	pass		Chloroform	< LOQ	1.00	1.00	pass			
Ethyl acetate	< LOQ	5000	200	pass		Ethyl ether	< LOQ	5000	200	pass			
Ethylene oxide	< LOQ	1.00	1.00	pass		m,p-Xylene	< LOQ		200				
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	1.00	1.00	pass			
n-Butane	< LOQ	5000	200	pass		n-Heptane	< LOQ	5000	200	pass			
n-Hexane	< LOQ	290	30.0	pass		n-Pentane	< LOQ	5000	200	pass			
o-Xylene	< LOQ		200			Propane	< LOQ	5000	200	pass			
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ	2170	400	pass			
Trichloroethylene	< LOQ	1.00	1.00	pass									



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Pesticides										
Method: AOAC 2007.01 & EN 15662 (mod)						Units mg/kg		Batch 2210687		Analyze 12/16/22 02:15 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status
Abamectin	< LOQ	0.100	0.100	pass		Acephate	< LOQ	0.100	0.100	pass
Acequinocyl	< LOQ	0.100	0.100	pass		Acetamiprid	< LOQ	0.100	0.100	pass
Aldicarb	< LOQ	0.100	0.100	pass		Azoxystrobin	< LOQ	0.100	0.100	pass
Bifenazate	< LOQ	0.100	0.100	pass		Bifenthrin	< LOQ	3.00	3.00	pass
Boscalid	< LOQ	0.100	0.100	pass		Captan	< LOQ	0.700	0.700	pass
Carbaryl	< LOQ	0.500	0.500	pass		Carbofuran	< LOQ	0.100	0.100	pass
Chlorantraniliprole	< LOQ	10.0	3.00	pass		Chlordane	< LOQ	0.1	0.100	pass
Chlorfenapyr	< LOQ	0.100	0.100	pass		Chlorpyrifos	< LOQ	0.100	0.100	pass
Clofentezine	< LOQ	0.100	0.100	pass		Coumaphos	< LOQ	0.100	0.100	pass
Cyfluthrin	< LOQ	2.00	2.00	pass		Cypermethrin	< LOQ	1.00	1.00	pass
Daminozide	< LOQ	0.100	0.100	pass		Diazinon	< LOQ	0.100	0.100	pass
Dichlorvos	< LOQ	0.100	0.100	pass		Dimethoate	< LOQ	0.100	0.100	pass
Dimethomorph	< LOQ	2.00	2.00	pass		Ethoprophos	< LOQ	0.100	0.100	pass
Etofenprox	< LOQ	0.100	0.100	pass		Etoxazole	< LOQ	0.100	0.100	pass
Fenhexamid	< LOQ	0.100	0.100	pass		Fenoxycarb	< LOQ	0.100	0.100	pass
Fenpyroximate	< LOQ	0.100	0.100	pass		Fipronil	< LOQ	0.100	0.100	pass
Flonicamid	< LOQ	0.100	0.100	pass		Fludioxonil	< LOQ	0.100	0.100	pass
Hexythiazox	< LOQ	0.100	0.100	pass		Imazalil	< LOQ	0.100	0.100	pass
Imidacloprid	< LOQ	5.00	3.00	pass		Kresoxim-methyl	< LOQ	0.100	0.100	pass
Malathion	< LOQ	0.500	0.500	pass		Metalaxyl	< LOQ	2.00	2.00	pass
Methiocarb	< LOQ	0.100	0.100	pass		Methomyl	< LOQ	1.00	1.00	pass
Mevinphos	< LOQ	0.100	0.100	pass		Myclobutanil	< LOQ	0.100	0.100	pass
Naled	< LOQ	0.100	0.100	pass		Oxamyl	< LOQ	0.500	0.500	pass
Paclobutrazole	< LOQ	0.100	0.100	pass		Parathion-Methyl	< LOQ	0.100	0.100	pass
Permethrin	< LOQ	0.500	0.500	pass		Phosmet	< LOQ	0.100	0.100	pass
Piperonyl butoxide	< LOQ	3.00	3.00	pass		Prallethrin	< LOQ	0.100	0.100	pass
Propiconazole	< LOQ	0.100	0.100	pass		Propoxur	< LOQ	0.100	0.100	pass
Pyrethrins (total)	< LOQ	0.500	0.500	pass		Pyridaben	< LOQ	0.100	0.100	pass
Quintozene	< LOQ	0.100	0.100	pass		Spinetoram	< LOQ	0.100	0.100	pass
Spinosad	< LOQ	0.100	0.100	pass		Spiromesifen	< LOQ	0.100	0.100	pass
Spirotetramat	< LOQ	0.100	0.100	pass		Spiroxamine	< LOQ	0.100	0.100	pass
Tebuconazole	< LOQ	0.100	0.100	pass		Thiacloprid	< LOQ	0.100	0.100	pass
Thiamethoxam	< LOQ	5.00	3.00	pass		Trifloxystrobin	< LOQ	0.100	0.100	pass

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes	
Arsenic	< LOQ	0.20	mg/kg	0.0781	2210759	12/19/22	AOAC 2013.06 (mod.) ^b	pass		
Cadmium	< LOQ	0.20	mg/kg	0.0781	2210759	12/19/22	AOAC 2013.06 (mod.) ^b	pass		
Lead	< LOQ	0.50	mg/kg	0.0781	2210759	12/19/22	AOAC 2013.06 (mod.) ^b	pass		
Mercury	< LOQ	0.10	mg/kg	0.0390	2210759	12/19/22	AOAC 2013.06 (mod.) ^b	pass		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 [¥]	< LOQ		µg/kg	5.00	2210801	12/20/22 AOAC 2007.01 & EN 15662 (mod) ^Þ		
Aflatoxin B1 [¥]	< LOQ		µg/kg	5.00	2210801	12/20/22 AOAC 2007.01 & EN 15662 (mod) ^Þ		
Aflatoxin G1 [¥]	< LOQ		µg/kg	5.00	2210801	12/20/22 AOAC 2007.01 & EN 15662 (mod) ^Þ		
Aflatoxin G2 [¥]	< LOQ		µg/kg	5.00	2210801	12/20/22 AOAC 2007.01 & EN 15662 (mod) ^Þ		
Ochratoxin A [¥]	< LOQ		µg/kg	5.00	2210801	12/20/22 AOAC 2007.01 & EN 15662 (mod) ^Þ		
Total Aflatoxins [¥]	0.000		µg/kg	20.0		12/20/22 AOAC 2007.01 & EN 15662 (mod) ^Þ		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

¥ = TNI accredited analyte.

Units of Measure

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03



Hemp & Cannabis: Usable / Extract / Finished Product

Chain of Custody Receipt

ORELAP ID: OR100028 ANAB ISO 17025 II

TRIBALTOKES 22-015363

Document Control ID: 2832 Revision: 5
Effective: 01/04/2022



Company: Tribal Tokes			Analysis Re			Number:				
Contact: Paisley Byrnes						Lab ID: HHC/CBD/D8 Testing				
Address: 3505 Cadillac Ave Building E						Lab ID: HCD120622				
City: Costa Mesa State: CA Zip Code: 92626						Sampled by: Colin Byrnes-Smith				
☒ Email Results: team@purehawaiianheart.com						Custom Reporting:				
☐ Ph: (949) - 463-7643						Source Material: ☐ - Ind. Hemp product ☒ - Rec. Cannabis				
Billing Contact (if different)						Reporting Type: ☐ - Compliance ☒ - R&D				
Name: DNG LLC Email: team@purehawaiianheart.com						Report to: ☐ - METRC ☐ - ODA ☐ - USDA				
Address: 24040 Camino Del Avion #202						☐ - Other:				
City: Dana Point State: CA Zip: 92629						Turnaround time (TAT - Business Days):				
Ph: (949) - 463-7643						☒ - 5BD ☐ - 3BD* ☐ - 2BD*				
						<i>*Check for availability</i>				
Lab ID	Client Sample Identification	Sample date	Pesticides	Mycotoxins	Metals	Potency	Residual Solvents	Material Type	Weight (Units)	Comments/Metrc ID
	Mango HZ HHC	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Granddaddy Purp HHC	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Gelato HHC	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Granddaddy Purp D8	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Pineapple D8	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Green Crack D8	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Juicy Fruit CBD	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Hawaiian Dream CBD	12/01/22	✓	✓	✓	✓	✓	C	10g	
	Granddaddy Purp CBD	12/01/22	✓	✓	✓	✓	✓	C	10g	
Signature - Relinquished By:			Signature - Received By:			Lab Use Only:				
						☒ Shipped Via: <u>UPS</u> or ☐ Client drop off				
Date: 12/1 Time: 8:48 AM			Date: 12/15 Time: 11:03			Evidence of cooling: ☐ Yes ☒ No - Temp (°C): <u>10.6</u>				
						Sample in good condition: ☒ Yes ☐ No				
						Payment: ☐ Cash ☐ Check ☐ CC ☐ Net:				
						Prelog storage:				

* - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of service](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2210787

Laboratory Control Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes		
CBDVA	2	0.101	0.101	%	99.9	80.0 - 120	Acceptable			
CBDV	2	0.111	0.110	%	101	80.0 - 120	Acceptable			
CBE	2	0.103	0.106	%	96.7	80.0 - 120	Acceptable			
CBD	1	0.105	0.096	%	109	90.0 - 110	Acceptable			
CBGA	1	0.104	0.097	%	108	80.0 - 120	Acceptable			
CBG	1	0.104	0.095	%	110	80.0 - 120	Acceptable			
CBD	1	0.101	0.096	%	106	90.0 - 110	Acceptable			
THCV	2	0.106	0.105	%	101	80.0 - 120	Acceptable			
d8THCV	2	0.107	0.107	%	100	80.0 - 120	Acceptable			
THCVA	2	0.0994	0.099	%	101	80.0 - 120	Acceptable			
CBN	1	0.109	0.099	%	110	80.0 - 120	Acceptable			
exo-THC	2	0.102	0.103	%	99.7	80.0 - 120	Acceptable			
d9THC	1	0.108	0.102	%	106	90.0 - 110	Acceptable			
d8THC	1	0.101	0.100	%	101	90.0 - 110	Acceptable			
CBL	2	0.106	0.100	%	106	80.0 - 120	Acceptable			
9S-HHC	3	0.103	0.100	%	103	80.0 - 120	Acceptable			
d10THC	1	NA	0.092	%	NA	80.0 - 120	Acceptable	Q6		
CB	2	0.108	0.109	%	99.0	80.0 - 120	Acceptable			
9R-HHC	3	0.0951	0.100	%	95.1	80.0 - 120	Acceptable			
THCA	1	0.104	0.096	%	108	90.0 - 110	Acceptable			
CBGA	2	0.0981	0.103	%	95.2	80.0 - 120	Acceptable			
CBLA	2	0.104	0.105	%	99.5	80.0 - 120	Acceptable			
d8THCO	3	0.106	0.100	%	106	80.0 - 120	Acceptable			
CBT	2	0.1000	0.109	%	91.7	80.0 - 120	Acceptable			
d9THCO	3	0.107	0.100	%	107	80.0 - 120	Acceptable			

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBDV	<LOQ	0.077	%	< 0.077	Acceptable	
CBE	<LOQ	0.077	%	< 0.077	Acceptable	
CBD	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBG	<LOQ	0.077	%	< 0.077	Acceptable	
CBD	<LOQ	0.077	%	< 0.077	Acceptable	
THCV	<LOQ	0.077	%	< 0.077	Acceptable	
d8THCV	<LOQ	0.077	%	< 0.077	Acceptable	
THCVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBN	<LOQ	0.077	%	< 0.077	Acceptable	
exo-THC	<LOQ	0.077	%	< 0.077	Acceptable	
d9THC	<LOQ	0.077	%	< 0.077	Acceptable	
d8THC	<LOQ	0.077	%	< 0.077	Acceptable	
CBL	<LOQ	0.077	%	< 0.077	Acceptable	
9S-HHC	<LOQ	0.077	%	< 0.077	Acceptable	
d10THC	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
9R-HHC	<LOQ	0.077	%	< 0.077	Acceptable	
THCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBLA	<LOQ	0.077	%	< 0.077	Acceptable	
d8THCO	<LOQ	0.077	%	< 0.077	Acceptable	
CBT	<LOQ	0.077	%	< 0.077	Acceptable	
d9THCO	<LOQ	0.077	%	< 0.077	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2210787						
Sample Duplicate		Sample ID: 22-015363-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDV	0.268	0.275	0.077	%	2.68	< 20	Acceptable	
CBE	0.860	0.883	0.077	%	2.62	< 20	Acceptable	
CBD A	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	1.25	1.24	0.077	%	0.191	< 20	Acceptable	
CBD	5.70	5.78	0.077	%	1.29	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	0.471	0.468	0.077	%	0.642	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9S-HHC	29.0	25.3	0.077	%	13.8	< 20	Acceptable	
d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9R-HHC	40.2	35.2	0.077	%	13.4	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBT	0.0819	<LOQ	0.077	%	NA	< 20	Acceptable	R2
d9THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2210793					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		381	572	µg/g	66.6	60 - 120	
Isobutane	ND	< 200		456	731	µg/g	62.4	60 - 120	
Butane	ND	< 200		475	731	µg/g	65.0	60 - 120	
2,2-Dimethylpropane	ND	< 200		683	936	µg/g	73.0	60 - 120	
Methanol	ND	< 200		1130	1620	µg/g	69.8	60 - 120	
Ethylene Oxide	ND	< 30		37.9	56.2	µg/g	67.4	60 - 120	
2-Methylbutane	ND	< 200		1130	1610	µg/g	70.2	60 - 120	
Pentane	ND	< 200		1120	1600	µg/g	70.0	60 - 120	
Ethanol	ND	< 200		1120	1610	µg/g	69.6	70 - 130	
Ethyl Ether	ND	< 200		1100	1630	µg/g	67.5	60 - 120	
2,2-Dimethylbutane	ND	< 30		121	171	µg/g	70.8	60 - 120	
Acetone	ND	< 200		1120	1630	µg/g	68.7	60 - 120	
2-Propanol	ND	< 200		1140	1620	µg/g	70.4	60 - 120	
Acetonitrile	ND	< 100		328	498	µg/g	65.9	60 - 120	
2,3-Dimethylbutane	ND	< 30		116	171	µg/g	67.8	60 - 120	
Dichloromethane	ND	< 60		349	483	µg/g	72.3	60 - 120	
2-Methylpentane	ND	< 30		117	168	µg/g	69.6	60 - 120	
3-Methylpentane	ND	< 30		104	167	µg/g	62.3	60 - 120	
Hexane	ND	< 30		146	182	µg/g	80.2	60 - 120	
Ethyl acetate	ND	< 200		1110	1610	µg/g	68.9	60 - 120	
2-Butanol	ND	< 200		1110	1600	µg/g	69.4	60 - 120	
Tetrahydrofuran	ND	< 100		310	483	µg/g	64.2	60 - 120	
Cyclohexane	ND	< 200		1130	1610	µg/g	70.2	60 - 120	
Benzene	ND	< 1		3.87	5.02	µg/g	77.1	60 - 120	
Isopropyl Acetate	ND	< 200		1140	1620	µg/g	70.4	60 - 120	
Heptane	ND	< 200		1110	1610	µg/g	68.9	60 - 120	
1,4-Dioxane	ND	< 100		304	491	µg/g	61.9	60 - 120	
2-Ethoxyethanol	ND	< 30		120	181	µg/g	66.3	60 - 120	
Ethylene Glycol	ND	< 200		218	484	µg/g	45.0	60 - 120	Q6
Toluene	ND	< 100		325	485	µg/g	67.0	60 - 120	
Ethylbenzene	ND	< 200		635	969	µg/g	65.5	60 - 120	
m,p-Xylene	ND	< 200		633	994	µg/g	63.7	60 - 120	
o-Xylene	ND	< 200		625	967	µg/g	64.6	60 - 120	
Cumene	ND	< 30		113	171	µg/g	66.1	60 - 120	
1,2-Dichloroethane	ND	< 1		0.964	1	µg/g	96.4	70 - 130	
Chloroform	ND	< 1		0.958	1	µg/g	95.8	70 - 130	
Trichloroethylene	ND	< 1		0.937	1	µg/g	93.7	70 - 130	
1,1-Dichloroethane	ND	< 1		0.971	1	µg/g	97.1	70 - 130	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC - Sample Duplicate

Sample ID: 22-015297-0003

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03





12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015363/D003.R000
Report Date: 12/20/2022
ORELAP#: OR100028
Purchase Order:
Received: 12/15/22 11:03

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.