

Report Number:	23-008997/D053.R001
Report Date:	10/02/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/31/23 14:21

This is an amended version of report# 23-008997/D053.R000. Reason: Updated report format.

Customer:	TribeTokes
Product identity:	Mango Haze 1:1
Client/Metrc ID:	
Laboratory ID:	23-008997-0023

		Summary			
Potency:					
Analyte CBD Δ8-THC CBG	Result (%) 30.5 27.4 5.74			CBD-Total	30.5%
CBN	0.218		 CBD 8-THC CBG CBN 	THC-Total (Reported in pe	<loq< td=""></loq<>
Residual Solven	ts:			•	
All analytes passin	ng and less than LOQ.				

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Papart Number	23-008997/D053.R001
Report Number:	23-006997/D055.R001
Report Date:	10/02/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/31/23 14:21

Customer:	TribeTokes United States of America (USA)
Product identity:	Mango Haze 1:1
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-008997-0023
Evidence of Cooling:	No
Temp:	24.6 °C

Sample Results

Potency	Method: J AOAC	2015 V98-6 (mod	d) [⊳] Units %	Batch: 2309658	Analyze: 8/1/23 9:03:00 PM
Analyte		Dry LOQ weight	Notes		
CBD	30.5	0.755			
CBD-A	< LOQ	0.0755			
CBD-Total	30.5	0.821			• CBD
CBG	5.74	0.0755			• 8-THC
CBG-A	< LOQ	0.0755			CBG CBN
CBG-Total	5.74	0.141			CEN
CBN	0.218	0.0755			
$\Delta 10$ -THC-9R	< LOQ	0.0755			
Δ10-THC-9S	< LOQ	0.0755			
$\Delta 10$ -THC-Total	< LOQ	0.151			
∆8-THC	27.4	0.755			
∆9-THC	< LOQ	0.0755			
HHC (9R-Hexahydrocannabino	l) < LOQ	0.0755			
HHC (9S-Hexahydrocannabino	l) < LOQ	0.0755			
THC-A	< LOQ	0.0755			
THC-O-Acetate, delta-8	< LOQ	0.0755			
THC-O-Acetate, delta-9	< LOQ	0.0755			
THC-Total	< LOQ	0.142			
Total Cannabinoids	63.9				

Page 2 of 6 www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0410 OAR 333-007-0430





Report Number:	23-008997/D053.R001
Report Date:	10/02/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/31/23 14:21

Solvents	Method:	Residua	I Solve	ents by	GC/MS ^p	Units µg/g Batch 23	309724	Analyz	e 08/0	04/23 1	2:34 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
lsopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Vethanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	800	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

 www.columbialaboratories.com
 Page 3 of 6

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Report Number:	23-008997/D053.R001
Report Date:	10/02/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/31/23 14:21

Pesticides	Method: AO	AC 200	7.01 & EN 15662 (mod) ^b	Units mg/kg Batch	2309730	Analy	ze 08/04/23 02:12 PM
Analyte	Result	Limits	s LOQ Status Notes	Analyte	Result	Limits	LOQ Status Notes
Abamectin [¥]	< LOQ	0.50	0.250 pass	Acephate [*]	< LOQ	0.40	0.200 pass
Acequinocyl [¥]	< LOQ	2.0	1.00 pass	Acetamiprid¥	< LOQ	0.20	0.100 pass
Aldicarb [¥]	< LOQ	0.40	0.200 pass	Azoxystrobin [¥]	< LOQ	0.20	0.100 pass
Bifenazate¥	< LOQ	0.20	0.100 pass	Bifenthrin [¥]	< LOQ	0.20	0.100 pass
Boscalid [¥]	< LOQ	0.40	0.200 pass	Carbaryl [¥]	< LOQ	0.20	0.100 pass
Carbofuran [¥]	< LOQ	0.20	0.100 pass	Chlorantraniliprole [¥]	< LOQ	0.20	0.100 pass
Chlorfenapyr [¥]	< LOQ	1.0	0.500 pass	Chlorpyrifos¥	< LOQ	0.20	0.100 pass
Clofentezine [*]	< LOQ	0.20	0.100 pass	Cyfluthrin [¥]	< LOQ	1.0	0.500 pass
Cypermethrin [¥]	< LOQ	1.0	0.500 pass	Daminozide [¥]	< LOQ	1.0	0.500 pass
Diazinon¥	< LOQ	0.20	0.100 pass	Dichlorvos [¥]	< LOQ	1.0	0.500 pass
Dimethoate [¥]	< LOQ	0.20	0.100 pass	Ethoprophos [*]	< LOQ	0.20	0.100 pass
Etofenprox [¥]	< LOQ	0.40	0.200 pass	Etoxazole¥	< LOQ	0.20	0.100 pass
Fenoxycarb [¥]	< LOQ	0.20	0.100 pass	Fenpyroximate [*]	< LOQ	0.40	0.200 pass
Fipronil [¥]	< LOQ	0.40	0.200 pass	Flonicamid [¥]	< LOQ	1.0	0.400 pass
Fludioxonil¥	< LOQ	0.40	0.200 pass	Hexythiazox¥	< LOQ	1.0	0.400 pass
Imazalil [¥]	< LOQ	0.20	0.100 pass	Imidacloprid¥	< LOQ	0.40	0.200 pass
Kresoxim-methyl [¥]	< LOQ	0.40	0.200 pass	Malathion¥	< LOQ	0.20	0.100 pass
Methiocarb [*]	< LOQ	0.20	0.100 pass	Methomyl [¥]	< LOQ	0.40	0.200 pass
MGK-264¥	< LOQ	0.20	0.100 pass	Myclobutanil [¥]	< LOQ	0.20	0.100 pass
Naled [¥]	< LOQ	0.50	0.250 pass	Oxamyl [¥]	< LOQ	1.0	0.500 pass
Paclobutrazole¥	< LOQ	0.40	0.200 pass	Parathion-Methyl [*]	< LOQ	0.20	0.100 pass
Permethrin [¥]	< LOQ	0.20	0.100 pass	Phosmet [¥]	< LOQ	0.20	0.100 pass
Piperonyl butoxide [¥]	< LOQ	2.0	1.00 pass	Prallethrin¥	< LOQ	0.20	0.100 pass
Propiconazole [¥]	< LOQ	0.40	0.200 pass	Propoxur [¥]	< LOQ	0.20	0.100 pass
Pyrethrin I (total) [×]	< LOQ	1.0	0.500 pass	Pyridaben¥	< LOQ	0.20	0.100 pass
Spinosad [¥]	< LOQ	0.20	0.100 pass	Spiromesifen¥	< LOQ	0.20	0.100 pass
Spirotetramat [¥]	< LOQ	0.20	0.100 pass	Spiroxamine [¥]	< LOQ	0.40	0.200 pass
Tebuconazole [¥]	< LOQ	0.40	0.200 pass	Thiacloprid¥	< LOQ	0.20	0.100 pass
Thiamethoxam¥	< LOQ	0.20	0.100 pass	Trifloxystrobin [¥]	< LOQ	0.20	0.100 pass

metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status I	Notes
Arsenic [¥]	< LOQ	0.200	mg/kg	0.0880	2309792	08/07/23 AOAC 2013.06 (mod.) ^b	pass	
Cadmium [¥]	< LOQ	0.200	mg/kg	0.0880	2309792	08/07/23 AOAC 2013.06 (mod.) ^b	pass	
Lead [¥]	< LOQ	0.500	mg/kg	0.0880	2309792	08/07/23 AOAC 2013.06 (mod.) ^b	pass	
Mercury [¥]	< LOQ	0.100	mg/kg	0.0440	2309792	08/07/23 AOAC 2013.06 (mod.) ^b	pass	
Mycotoxins								
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status I	Notes
Aflatoxin B2 [¥]	< LOQ		µg/kg	5.00	2309688	08/03/23 AOAC 2007.01 & EN 15662 (mod)¢	
Aflatoxin B1 [¥]	< LOQ		µg/kg	5.00	2309688	08/03/23 AOAC 2007.01 & EN 15662 (mod)¢	
Aflatoxin G1 [¥]	< LOQ		µg/kg	5.00	2309688	08/03/23 AOAC 2007.01 & EN 15662 (mod)¢	
Aflatoxin G2 [¥]	< LOQ		µg/kg	5.00	2309688	08/03/23 AOAC 2007.01 & EN 15662 (mod)¢	
Ochratoxin A [¥]	< LOQ	20.0	µg/kg	5.00	2309688	08/03/23 AOAC 2007.01 & EN 15662 (mod)⊧ pass	
Total Aflatoxins [¥]	0.000	20.0	µg/kg	20.0		08/07/23 AOAC 2007.01 & EN 15662 (mod) ^p pass	

 www.columbialaboratories.com
 Page 4 of 6

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430

Motale





 Report Number:
 23-008997/D053.R001

 Report Date:
 10/02/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 07/31/23 14:21

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

= ISO/IEC 17025:2017 accredited method.
 * = TNI accredited analyte.

Units of Measure

μg/g = Microgram per gram μg/kg = Micrograms per kilogram = parts per billion (ppb) mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 5 of 6

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-008997/D053.R001
Report Date:	10/02/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/31/23 14:21



 www.columbialaboratories.com
 Page 6 of 6

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430