

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

CBN Tincture

Sample ID: G3I0371-03

Matrix: Hemp Products

Test ID: 5024029 Source ID:

Date Sampled: 09/25/23

Date Accepted: 09/25/23

Batch Lot ID: T03

TribeTokes 844.778.7423

Results at a Glance

Total THC: <LOQ (0.0081%) %

Total CBD: 2.224 %

CBN: 4.527 % PASS





Eric Wendt Chief Science Officer - 9/26/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

CBN Tincture

Sample ID: G3I0371-03

Test ID: 5024029

Source ID:

Date Sampled: 09/25/23

Batch Lot ID: T03

Matrix: Hemp Products

Date Accepted: 09/25/23

TribeTokes 844.778.7423

Potency Analysis by HPLC

Date/Time Extracted: 09/25/23 11:21 Analysis Method/SOP: 215 Batch Identification: 2339003

Date/ Tille Latia	Cleu. 03/23/	/23 11.21	Analysis Method/SOF. 213 Batch Identification. 2555005
Cannabinoids	LOQ (%)	mg/g	Cannabinoids Profile
Total THC	0.0081	< LOQ	
Total CBD	0.0081	22.24	
THCA	0.0081	< LOQ	
delta 9-THC	0.0081	< LOQ	
delta 8-THC	0.3103	< LOQ	
THCV	0.2421	< LOQ	
THCVA	0.3623	< LOQ	
CBD	0.0081	22.24	
CBDA	0.0081	< LOQ	
CBDV	0.2491	< LOQ	■ CBD 2.2 ■ CBN 4.5
CBDVA	0.3421	< LOQ	Total: 6.8
CBN	0.2237	45.27	
CBG	0.2602	< LOQ	
CBGA	0.3449	< LOQ	
CBC	0.3264	< LOQ	

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt Chief Science Officer - 9/26/2023

Page 2 of 4



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Quality Control Potency

Batch: 2339003 - 215-Products

Blank(2339003-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0076	%		09/25/23 11:21	09/25/23 16:19	
delta 9-THC	< LOQ	0.0076	%		09/25/23 11:21	09/25/23 16:19	
delta 8-THC	< LOQ	0.2915	%		09/25/23 11:21	09/25/23 16:19	
THCV	< LOQ	0.2275	%		09/25/23 11:21	09/25/23 16:19	
THCVA	< LOQ	0.3405	%		09/25/23 11:21	09/25/23 16:19	
CBD	< LOQ	0.0076	%		09/25/23 11:21	09/25/23 16:19	
CBDA	< LOQ	0.0076	%		09/25/23 11:21	09/25/23 16:19	
CBDV	< LOQ	0.2341	%		09/25/23 11:21	09/25/23 16:19	
CBDVA	< LOQ	0.3215	%		09/25/23 11:21	09/25/23 16:19	
CBN	< LOQ	0.2102	%		09/25/23 11:21	09/25/23 16:19	
CBG	< LOQ	0.2445	%		09/25/23 11:21	09/25/23 16:19	
CBGA	< LOQ	0.3241	%		09/25/23 11:21	09/25/23 16:19	
CBC	< LOQ	0.3068	%		09/25/23 11:21	09/25/23 16:19	

Reference(2339003-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	102	0.0099	%	90-110	09/25/23 11:21	09/25/23 16:42	
delta 9-THC	103	0.0099	%	90-110	09/25/23 11:21	09/25/23 16:42	
delta 8-THC	102	0.3809	%	90-110	09/25/23 11:21	09/25/23 16:42	
CBD	103	0.0099	%	90-110	09/25/23 11:21	09/25/23 16:42	
CBDA	103	0.0099	%	90-110	09/25/23 11:21	09/25/23 16:42	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM BLI BLK	Non-cannabis matrix related interference or suppression of Internal standard Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery. Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

