



Report Number:	23-011995/D010.R000
Report Date:	10/16/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/09/23 14:56

Customer:	TribeTokes
Product identity:	D8 Granddaddy Purp
Client/Metrc ID:	
Laboratory ID:	23-011995-0011



Analyte	Result (%)			
∆8-THC	65.1		CBD-Total	4.75%
CBD	4.75			
CBG	0.923	● ∆8-THC	THC-Total	<loq< td=""></loq<>
CBN	0.0714	• CBD		
		CBG	(Reported in per	rcent of total sample)
		CBN		

Page 1 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-011995/D010.R000
Report Date:	10/16/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/09/23 14:56

Customer:	TribeTokes United States of America (USA)
Product identity:	D8 Granddaddy Purp
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-011995-0011
Evidence of Cooling:	No
Temp:	21.4 °C

Sample Results

Potency	Method: J AOA	C 2015 V	98-6 (mod)	b Units %	Batch: 2311742	Analyze: 10/10/23	11:40:00 P
Analyte	As Received	Dry weight	LOQ	Notes			
CBD	4.75		0.0683				
CBD-A	< LOQ		0.0683				
CBD-Total	4.75		0.128				▲8-THC
CBG	0.923		0.0683		N		CBD
CBG-A	< LOQ		0.0683				CBG
CBG-Total	0.923		0.128				
CBN	0.0714		0.0683				
∆10-THC-9R	< LOQ		0.0683				
∆10-THC-9S	< LOQ		0.0683				
$\Delta 10$ -THC-Total	< LOQ		0.137				
∆8-THC	65.1		0.683				
∆9-THC	< LOQ		0.0683				
HHC (9R-Hexahydrocannabing	ol) < LOQ		0.0683				
HHC (9S-Hexahydrocannabing	ol) < LOQ		0.0683				
THC-A	< LOQ		0.0683				
THC-O-Acetate, delta-8	< LOQ		0.0683				
THC-O-Acetate, delta-9	< LOQ		0.0683				
THC-Total	< LOQ		0.128				
Total Cannabinoids	70.8						

Page 2 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





 Report Number:
 23-011995/D010.R000

 Report Date:
 10/16/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 10/09/23 14:56
 10/09/23 14:56

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-011995/D010.R000
Report Date:	10/16/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/09/23 14:56

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

LAGAC 2015 V00	c		Lai	Joratory	Quality Co				
J AOAC 2015 V98-6 Batch ID: 2311742 Laboratory Control Sample									
aboratory Contro Analyte	LCS	Result	Spike	Units			mits	Evaluation	Notes
BDVA	2		0.0768	W W	% Rec			Acceptable	Notes
BDVA	2	0.0746	0.0768	70 %	97.0	80.0	- 120	Acceptable	
BE		0.0731	0.0748	%	97.8	80.0	- 120	Acceptable	
BDA	2	0.0792			96.8	80.0	- 120		
	1	0.0707	0.0744	%	95.1	90.0	- 110	Acceptable	
BGA	1	0.0714	0.0760	%	94.0	80.0	- 120	Acceptable	
CBG	1	0.0816	0.0848	%	96.2	80.0	- 120	Acceptable	
CBD	1	0.0714	0.0723	%	98.8	90.0	- 110	Acceptable	
HCV	2	0.0686	0.0702	%	97.7	80.0	- 120	Acceptable	
I8THCV	2	0.0648	0.0704	%	92.0	80.0	- 120	Acceptable	
HCVA	2	0.0757	0.0754	%	100	80.0	- 120	Acceptable	
CBN	1	0.0700	0.0758	%	92.4	80.0	- 120	Acceptable	
exo-THC	2	0.0701	0.0754	%	93.0	80.0	- 120	Acceptable	
9THC	1	0.0833	0.0842	%	98.9	90.0	- 110	Acceptable	
I8THC	1	0.0726	0.0784	%	92.5	90.0	- 110	Acceptable	
S-d10THC	1	0.0734	0.0778	%	94.4	80.0	- 120	Acceptable	
BL	2	0.0757	0.0779	%	97.2	80.0	- 120	Acceptable	
IS-HHC	3	0.0664	0.0674	%	98.5	80.0	- 120	Acceptable	
R-d10THC	1	0.0696	0.0776	%	89.7	80.0	- 120	Acceptable	
CBC	2	0.0733	0.0781	%	93.9	80.0	- 120	Acceptable	
R-HHC	3	0.199	0.204	%	97.7	80.0	- 120	Acceptable	
HCA	1	0.0711	0.0777	%	91.5	90.0	- 110	Acceptable	
BCA	2	0.0746	0.0769	%	97.1	80.0	- 120	Acceptable	
BLA	2	0.0769	0.0804	%	95.6	80.0	- 120	Acceptable	
9THCP	2	0.0741	0.0768	%	96.4	80.0	- 120	Acceptable	
8THCO	3	0.0729	0.0772	%	94.4	80.0	- 120	Acceptable	
BT	2	0.0661	0.0743	%	88.9	80.0	- 120	Acceptable	
I9THCO	3	0.0726	0.0758	%	95.8	80.0	- 120	Acceptable	
Method Blank	+	0.0720		· · · · ·	55.0	00.0	120		
Analyte	Re	esult	LOQ		Units	Li	mits	Evaluation	Notes
CBDVA	<	LOQ	0.00694	1	%	< 0.	.00694	Acceptable	
CBDV	<	LOQ	0.00694		%	< 0.	.00694	Acceptable	
CBE	<	LOQ	0.00694		%		.00694	Acceptable	
CBDA		100	0.00694		%		.00694	Acceptable	
BGA		LOQ	0.00694		%		.00694	Acceptable	
BG		100	0.00694	-	%		.00694	Acceptable	
BD		LOQ	0.00694		%		.00694	Acceptable	
HCV		LOQ	0.00694		%		.00694	Acceptable	
ISTHCV		LOQ	0.00694		%		.00694	Acceptable	
HCVA		LOQ	0.00694		%		.00694	Acceptable	
BN		LOQ	0.00694		%		.00694	Acceptable	
xo-THC		100	0.00694		%		.00694	Acceptable	
9THC		100	0.00694		%		.00694	Acceptable	
8THC		LOQ	0.00694	 	%		.00694		
OTHC				<u> </u>	%			Acceptable	
		LOQ	0.00694	ļ			.00694	Acceptable	
S-d10THC		100			%		.00694	Acceptable	
S-d10THC BL	<	LOQ	0.00694					Acceptable	
S-d10THC BL S-HHC	<	LOQ	0.00694		%		.00694		
S-d10THC BL S-HHC R-d10THC	<	LOQ	0.00694 0.00694		% %	< 0.	.00694	Acceptable	
S-d10THC BL S-HHC R-d10THC BC	< < < <		0.00694 0.00694 0.00694		% % %	< 0. < 0.	.00694 .00694	Acceptable Acceptable	
S-d10THC BL S-HHC R-d10THC BC R-HHC			0.00694 0.00694 0.00694 0.00694		% % %	< 0. < 0. < 0.	.00694 .00694 .00694	Acceptable Acceptable Acceptable	
S-d10THC BL S-HHC R-d10THC BC R-HHC HCA			0.00694 0.00694 0.00694 0.00694 0.00694		% % % %	< 0. < 0. < 0. < 0.	.00694 .00694 .00694 .00694	Acceptable Acceptable Acceptable Acceptable	
S-d10THC BL S-HHC R-d10THC BC R-HHC HCA BCA		LOQ LOQ LOQ LOQ LOQ LOQ	0.00694 0.00694 0.00694 0.00694 0.00694 0.00694		% % % %	< 0. < 0. < 0. < 0. < 0.	00694 00694 00694 00694 00694	Acceptable Acceptable Acceptable Acceptable Acceptable	
S-d10THC BL S-HHC R-d10THC BC R-HHC HCA BCA BLA		LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00694 0.00694 0.00694 0.00694 0.00694 0.00694 0.00694		% % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0.	00694 00694 00694 00694 00694 00694 00694	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
S-d10THC BL S-HHC R-d10THC BC R-HHC HCA BCA BLA 9THCP		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00694 0.00694 0.00694 0.00694 0.00694 0.00694 0.00694 0.00694		% % % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	00694 00694 00694 00694 00694 00694 00694 00694	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
S-d10THC BL S-HHC R-d10THC BC R-HHC HCA BCA BLA 9THCP 8THCO		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00694 0.00694 0.00694 0.00694 0.00694 0.00694 0.00694		% % % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	00694 00694 00694 00694 00694 00694 00694 00694 00694	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
85-d10THC BL BL BC-HHC BR-d10THC BR-HHC HCA BCA BCA BTHCA BTHCO BTHCO BTHCO BTHCO BTHCO		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00694 0.00694 0.00694 0.00694 0.00694 0.00694 0.00694 0.00694		% % % % % %	<pre>< 0.</pre> <pre></pre> <pre><td>00694 00694 00694 00694 00694 00694 00694 00694</td><td>Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable</td><td></td></pre>	00694 00694 00694 00694 00694 00694 00694 00694	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 4 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-011995/D010.R000
Report Date:	10/16/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/09/23 14:56

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	oratory	Quality Con	trol Results			
J AOAC 2015 V98-6					Ba	tch ID: 2311742			
Sample Duplicate	Sample ID: 23-011934-0001								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
CBDV	0.0342	0.0370	0.00687	%	8.01	< 20	Acceptable		
CBE	0.344	0.374	0.00687	%	8.31	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
CBGA	0.0151	0.0175	0.00687	%	14.9	< 20	Acceptable		
CBG	0.137	0.155	0.00687	%	12.5	< 20	Acceptable		
CBD	6.94	7.65	0.00687	%	9.70	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
THCVA	0.337	0.351	0.00687	%	4.13	< 20	Acceptable		
CBN	0.0529	0.0583	0.00687	%	9.64	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
9S-HHC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
CBC	0.0758	0.0829	0.00687	%	8.86	< 20	Acceptable		
9R-HHC	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
THCA	80.4	78.1	0.00687	%	2.84	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
d9THCP	2.12	2.33	0.00687	%	9.30	< 20	Acceptable		
d8THCO	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		
CBT	0.160	0.172	0.00687	%	7.36	< 20	Acceptable		
d9THCO	<loq< td=""><td><loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00687</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00687	%	NA	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-011995/D010.R000
Report Date:	10/16/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	10/09/23 14:56



Page 6 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





23-011995/D010.R000 **Report Number: Report Date:** 10/16/2023 **ORELAP#:** OR100028 **Purchase Order:** 10/09/23 14:56 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430

SD230603-013 page 1 of 1

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

Sample Delta 8 Distillate - Rose

QA	Testing
----	---------



Sample ID Tested for T-the T-trans	sted for	Concentrate (Inhalable Cannabis Good)		Batch ID 09DST-222_Rose		
Sampled -	Received	Jun 02, 2023	R	Reported	Jun 09. 2023	
Analyses executed		0011 02, 2020			001107, 2020	

Note: Full Panel Results on Raw Materials

Analyses executed CAN+, RES, HME

(4)d8-THC and 9'-THC. At this time there are no reference standards available for (+)d8-THC (+)d

CAN+ - Cannabinoids Analysis

Analyzed Jun 09, 2023 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately *3*.806% at the 95% Confidence Level

	LOD	LOQ	Result	Result
Analyte	mg/g	mg/g	%	mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	92.53	925.30
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			92.53	925.30
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total Cannabinoids			92.53	925.30

HME - Heavy Metals Detection Analysis

Analyzed Jun 08, 2023 Instrument ICP/MSMS Method SOP-005				
Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2
Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	0.01	0.1
Lead (Pb)	1.0e-05	0.00125	ND	0.5

RES - Residual Solvents Testing Analysis

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND		Butane (But)	0.4	40.0	ND	
Methanol (Metha)	0.4	40.0	ND		Ethylene Oxide (EthOx)	0.4	0.8	ND	
Pentane (Pen)	0.4	40.0	ND		Ethanol (Ethan)	0.4	40.0	ND	
Ethyl Ether (EthEt)	0.4	40.0	ND		Acetone (Acet)	0.4	40.0	ND	
Isopropanol (2-Pro)	0.4	40.0	ND		Acetonitrile (Acetonit)	0.4	40.0	ND	
Methylene Chloride (MetCh)	0.4	0.8	7.1		Hexane (Hex)	0.4	40.0	ND	
Ethyl Acetate (EthAc)	0.4	40.0	ND		Chloroform (Clo)	0.4	0.8	ND	
Benzene (Ben)	0.4	0.8	ND		1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	
Heptane (Hep)	0.4	40.0	ND		Trichloroethylene (TriClEth)	0.4	0.8	ND	
Toluene (Toluene)	0.4	40.0	ND		Xulenes (Xul)	0.4	40.0	ND	

UI Not Identified ND Not Detected N/A Not Applicable DI Dimit of Detection LOQ Limit of Quantification <LOQ Detected VILOL Above upper limit of linearity >ULOL Above upper limit of linearity CFU/Q Colong Forming Units per 1 gram TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Fri, 09 Jun 2023 09:13:02 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fall status is reported, that status is intended to be in accordance with federal, state and local lows which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fall evolution unless explicition unless explicition, state or local lows and has been reported on the retrificate of analysis. Measurement of uncertainty is available unprevent.