



Report Number:	24-002709/D003.R000
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	03/11/24 14:34

_ _

-_ -

Customer:	TribeTokes
Product identity:	6524.BPG
Client/Metrc ID:	
Laboratory ID:	24-002709-0003

Summary

Analyte per 3.5g	Result	Limits	Units	Status	THC-Total per Serving Size 9.5 mg/3.5g
CBG per 3.5g	0.110		mg/3.5g		
∆8-THC per 3.5g	18.9		mg/3.5g mg/3.5g		
∆9-THC per 3.5g	9.5				CBD-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-002709/D003.R000
- · -	
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	03/11/24 14:34

Customer:	TribeTokes United States of America (USA)
Product identity:	6524.BPG
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	24-002709-0003
Evidence of Cooling:	No
Temp:	15.3 °C
Relinquished by:	shipping
Serving Size #1:	3.5 g

Sample Results

Potency per 3.5g	Method: J AOAC 2015	V98-6 (mod)	Units mg/se Bat	ch: 2401969	Analyze: 3/12/24 7:19:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 3.5g	< LOQ		mg/3.5g	0.106	
CBD-A per 3.5g⊥	< LOQ		mg/3.5g	0.106	
CBD-Total per 3.5g⊥	< LOQ		mg/3.5g	0.200	
CBG per 3.5g	0.110		mg/3.5g	0.106	
CBG-A per 3.5g	< LOQ		mg/3.5g	0.106	
CBG-Total per 3.5g	< LOQ		mg/3.5g	0.199	
CBN per 3.5g	< LOQ		mg/3.5g	0.106	
∆10-THC-9R per 3.5g	< LOQ		mg/3.5g	0.106	
∆10-THC-9S per 3.5g	< LOQ		mg/3.5g	0.106	
$\Delta 10$ -THC-Total per 3.5g	< LOQ		mg/3.5g	0.213	
∆8-THC per 3.5g⊥	18.9		mg/3.5g	0.106	
∆9-THC per 3.5g⊥	9.5		mg/3.5g	0.106	
THC-A per 3.5g⊥	< LOQ		mg/3.5g	0.106	
THC-Total per 3.5g	9.5		mg/3.5g	0.200	
Total Cannabinoids per 3.5	5g 28.5		mg/3.5g		

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 24-002709/D003.R000

 Report Date:
 03/15/2024

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 03/11/24 14:34

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

= ISO/IEC 17025:2017 accredited method.
 * = TNI accredited analyte.

Units of Measure

g = g mg/3.5g = Milligram per 3.5g % = Percentage of sample % wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	24-002709/D003.R000				
Report Date:	03/15/2024				
ORELAP#:	OR100028				
Purchase Order:					
Received:	03/11/24 14:34				

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lab	orator	y Quality Co	ntrol Re	sults					
J AOAC 2015 V98-6 Batch ID: 2401969												
Laboratory Contro	Sample											
Analyte	LCS	Result	Spike	Units	% Rec		Limits	6	Evaluation	Notes		
CBDVA	2	0.0317	0.0324	%	98.0	80.0	-	120	Acceptable			
CBDV	2	0.0347	0.0352	%	98.5	80.0	-	120	Acceptable			
CBE	2	0.0350	0.0359	%	97.4	80.0	-	120	Acceptable			
CBDA	1	0.0310	0.0319	%	97.3	90.0	-	110	Acceptable			
CBGA	1	0.0307	0.0316	%	97.3	80.0	-	120	Acceptable			
CBG	1	0.0352	0.0366	%	96.0	80.0	-	120	Acceptable			
CBD	1	0.0340	0.0355	%	95.7	90.0	-	110	Acceptable			
THCV	2	0.0335	0.0345	%	97.2	80.0	-	120	Acceptable			
d8THCV	2	0.0297	0.0304	%	97.5	80.0	-	120	Acceptable			
THCVA	2	0.0317	0.0323	%	98.1	80.0	-	120	Acceptable			
CBN	1	0.0320	0.0334	%	95.8	80.0	-	120	Acceptable			
exo-THC	2	0.0326	0.0338	%	96.4	80.0	-	120	Acceptable			
d9THC	1	0.0336	0.0355	%	94.8	90.0	-	110	Acceptable			
d8THC	1	0.0320	0.0339	%	94.4	90.0	-	110	Acceptable			
9S-d10THC	1	0.0311	0.0333	%	93.3	80.0	-	120	Acceptable			
CBL	2	0.0326	0.0340	%	95.7	80.0	-	120	Acceptable			
9R-d10THC	1	0.0303	0.0326	%	93.1	80.0	-	120	Acceptable			
CBC	2	0.0331	0.0352	%	94.2	80.0	-	120	Acceptable			
THCA	1	0.0320	0.0320	%	99.9	90.0	-	110	Acceptable			
CBCA	2	0.0339	0.0346	%	97.8	80.0	-	120	Acceptable			
CBLA	2	0.0333	0.0344	%	96.7	80.0	-	120	Acceptable			
d9THCP	2	0.0306	0.0336	%	91.2	80.0	-	120	Acceptable			
CBT	2	0.0305	0.0348	%	87.9	80.0	-	120	Acceptable			
Method Blank												
Analyte			LOQ		Units		Limits		Evaluation	Notes		
CBDVA		LOQ	0.00305		%				0.003		Acceptable	
CBDV		LOQ	0.00305		%		0.003		Acceptable			
CBE		LOQ	0.00305		%		< 0.00305		Acceptable			
CBDA		LOQ	0.00305		%		< 0.00305		Acceptable			
CBGA		LOQ	0.00305		%		< 0.00305		Acceptable			
CBG		LOQ	0.00305		%		< 0.00305		Acceptable			
CBD		LOQ	0.00305		%	< 0.00305			Acceptable			
THCV		LOQ	0.00305		%		0.003		Acceptable			
d8THCV		LOQ	0.00305		%		0.003		Acceptable			
THCVA		LOQ	0.00305		%		0.003		Acceptable			
CBN		LOQ	0.00305		%		0.003		Acceptable			
exo-THC		LOQ	0.00305		%		0.003		Acceptable			
d9THC		LOQ	0.00305	ļ	%		0.003		Acceptable			
d8THC		LOQ	0.00305		%		0.003		Acceptable			
9S-d10THC		LOQ	0.00305	ļ	%		0.003		Acceptable			
CBL		LOQ	0.00305		%		0.003		Acceptable			
9R-d10THC		LOQ	0.00305		%		0.003		Acceptable			
CBC		LOQ	0.00305		%		0.003		Acceptable			
THCA		LOQ	0.00305	ļ	%		0.003		Acceptable			
CBCA		LOQ	0.00305	ļ	%		0.003		Acceptable			
CBLA		LOQ	0.00305	ļ	%		0.003		Acceptable			
d9THCP		LOQ	0.00305		%		0.003		Acceptable			
CBT	<	LOQ	0.00305		%	<	< 0.00305		Acceptable			

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 4 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-002709/D003.R000
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	03/11/24 14:34

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lai	oratory	Quality Con	trol Results		
J AOAC 2015 V98-6	/98-6 Batch ID: 2401969							
Sample Duplicate	Sample ID: 24-002675-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBG	0.0249	0.0265	0.00329	%	6.27	< 20	Acceptable	
CBD	0.00405	0.00434	0.00329	%	6.94	< 20	Acceptable	
THCV	0.00762	0.00804	0.00329	%	5.45	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBN	0.0172	0.0182	0.00329	%	6.13	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
d9THC	0.919	1.03	0.00329	%	11.2	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBC	0.0175	0.0185	0.00329	%	5.99	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00329</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00329	%	NA	< 20	Acceptable	
CBT	0.00367	0.00390	0.00329	%	5.92	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-002709/D003.R000
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	03/11/24 14:34



 Www.columbialaboratories.com
 Page 6 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 24-002709/D003.R000 **Report Date:** 03/15/2024 **ORELAP#:** OR100028 **Purchase Order: Received:** 03/11/24 14:34

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430