



Certificate of Analysis

R&D

Client Information:

TRIBETOKES

55 MADISON AVE SUITE 400
MORRISTOWN, NEW JERSEY 07960

Batch # 29924.8LS
Batch Date: 2024-11-16
Extracted From: Hemp

Test Reg State: Oregon

Order # TRI241116-190001
Order Date: 2024-11-16
Sample # AAGD656

Sampling Date: 2024-11-22
Lab Batch Date: 2024-11-22
Completion Date: 2024-11-25

Initial Gross Weight: 8.400 g



Product Image



Potency
Tested

Delta 8/Delta 10 Potency 13 - (LCUV)

Specimen Weight: 503.110 mg

Tested


SOP13.001 (LCUV)

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	2.60E-5	0.015	855.770	85.577
CBDA	1.00E-5	0.015	81.010	8.101
CBD	5.40E-5	0.015	4.180	0.418
THCA-A	3.20E-5	0.015	2.370	0.237
CBGA	8.00E-5	0.015	2.180	0.218
CBN	1.40E-5	0.015	1.750	0.175
CBG	2.48E-4	0.015	0.350	0.035
CBC	1.80E-5	0.015	0.310	0.031
CBDV	6.50E-5	0.015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			75.226	7.523
Total Active THC			2.078	0.208



Potency Summary

Total Delta 8 85.577%	Total Delta 10 None Detected
Total Active THC 0.208%	Total Active CBD 7.523%
Total CBG 0.226%	Total CBN 0.175%
Total Cannabinoids 94.792%	


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

1 of 4

Delta 8 isolate derived

Sample ID: 2412AFL0549.2534

Internal Lab ID: ATL-25746

Client

Strain: NA

Hau Processing

Matrix: Concentrates & Extracts

Received: 12/20/2024

Lic. #

Type: Other

Completed: 01/15/2025

2200 E 76th Ave Unit C300

Unit Weight: 1 g

Batch#: 0502169

Denver, CO 80229



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/20/2024	Complete
Residual Solvents	01/07/2025	Pass
Pesticides	01/09/2025	Pass
Heavy Metals	01/13/2025	Pass

Basic Potency

Complete

ND
Total THC

ND
Total CBD

82.36%
Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	CBN	0.01	ND	ND
CBDV	0.01	ND	ND	Δ 9-THC	0.01	ND	ND
CBDa	0.01	ND	ND	Δ 8-THC	0.01	82.36	823.6
CBGa	0.01	ND	ND	(6aR,9S)-d10-THC	0.01	ND	ND
CBG	0.01	ND	ND	(6aR,9R)-d10-THC	0.00	ND	ND
CBD	0.01	ND	ND	CBC	0.01	ND	ND
THCV	0.01	ND	ND	CBCa	0.01	ND	ND
Δ 8-THCV	0.00	ND	ND	THCa	0.01	ND	ND
THCVa	0.01	ND	ND	Total		82.36	823.6

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 12/20/2024

NT
Not Tested
Moisture Content

NT
Not Tested
Water Activity

Not Tested
Foreign Matter



Paulo Gonzalez
Laboratory Manager
01/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 4

Delta 8 isolate derived

Sample ID: 2412AFL0549.2534

Internal Lab ID: ATL-25746

Client

Strain: NA

Hau Processing

Matrix: Concentrates & Extracts

Received: 12/20/2024

Lic. #

Type: Other

Completed: 01/15/2025

2200 E 76th Ave Unit C300

Unit Weight: 1 g

Batch#: 0502169

Denver, CO 80229

Pesticides


Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Acephate	100.0	ND	Pass	Fipronil	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	Imazalil	100.0	NR	NT
Bifenazate	100.0	NR	NT	Kresoxim Methyl	100.0	ND	Pass
Bifenthrin	100.0	NR	NT	Malathion	200.0	ND	Pass
Boscalid	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Methiocarb	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbofuran	100.0	ND	Pass	Myclobutanil	1.000	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Naled	250.00	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Clofentezine	200.0	ND	Pass	Permethrin	100.0	ND	Pass
Coumaphos	100.0	ND	Pass	Phosmet	100.0	NR	NT
Cyfluthrin	500.0	ND	Pass	Piperonyl Butoxide	3000	NR	NT
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyrethrins	500.0	NR	NT
Dimethoate	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Etoxazole	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass				

Date Tested: 01/09/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)




Paulo Gonzalez
Laboratory Manager
01/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

3 of 4

Delta 8 isolate derived

Sample ID: 2412AFL0549.2534

Internal Lab ID: ATL-25746

Client

Strain: NA

Hau Processing

Matrix: Concentrates & Extracts

Received: 12/20/2024

Lic. #

Type: Other

Completed: 01/15/2025

2200 E 76th Ave Unit C300

Unit Weight: 1 g

Batch#: 0502169

Denver, CO 80229

Microbials

Not Tested

Analyte	LOD	Result	Status
---------	-----	--------	--------

Document ID:
Date Tested:

Foreign Matter

Not Tested

Analyte	Limit	Result	Status
---------	-------	--------	--------

Document ID:
Date Tested:

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Arsenic	100	1500	ND	Pass
Cadmium	100	500	ND	Pass
Lead	100	500	ND	Pass
Mercury	100	3000	ND	Pass

Date Tested: 01/13/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Manager
01/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

4 of 4

Delta 8 isolate derived

Sample ID: 2412AFL0549.2534

Internal Lab ID: ATL-25746

Client

Strain: NA

Hau Processing

Matrix: Concentrates & Extracts

Received: 12/20/2024

Lic. #

Type: Other

Completed: 01/15/2025

2200 E 76th Ave Unit C300

Unit Weight: 1 g

Batch#: 0502169

Denver, CO 80229

Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Chloroform	0.2	2	ND	Pass
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl Ether	40	500	ND	Pass
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Isopropanol	40	500	ND	Pass
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71	5000	ND	Pass
Hexane	5	250	ND	Pass
Pentane	59	750	ND	Pass
Propane	165	5000	ND	Pass
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass

ACCURATE
TEST LAB

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 01/07/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Manager
01/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

