



Report Number:	25-003987/D001.R000
Report Date:	04/17/2025
ORELAP#:	OR100028
Purchase Order:	
Received:	04/14/25 16:54

Customer:	TribeTokes United States of America (USA)
Product identity:	Mango Live Resin Gummies
Metrc ID:	
Metrc Source ID:	
Material:	Cannabinoid Edible
Sample Date:	
Laboratory ID:	25-003987-0001
Evidence of Cooling:	No
Temp:	26 °C
Serving Size #1:	3.7 g

Sample Results

Potency	Method: J	AOAC 20	15 V98-6 (mod) [»]	Batch: 2502734 Analyze: 2025-04-15 18:50:00
				Serving Size #1
Analyte	Result	Units	LOQ Notes	Result Units LOQ
CBC	0.00335	%	0.0032	0.124 mg/3.7g 0.120
CBC-A	0.00504	%	0.0032	0.186 mg/3.7g 0.120
CBC-Total	0.00777	%	0.0061	0.287 mg/3.7g 0.224
CBD -	0.522	%	0.0032	19.3 mg/3.7g 0.120
CBD-A [⊥]	0.100	%	0.0032	3.71 mg/3.7g 0.120
CBD-Total⊥	0.610	%	0.0061	22.6 mg/3.7g 0.224
CBDV	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBDV-A	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBDV-Total	< LOQ	%	0.0060	< LOQ mg/3.7g 0.223
CBE	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBG	0.00626	%	0.0032	0.232 mg/3.7g 0.120
CBG-A	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBG-Total	0.00626	%	0.0060	0.232 mg/3.7g 0.223
CBL	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBL-A	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBL-Total	< LOQ	%	0.0061	< LOQ mg/3.7g 0.224
CBN	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
CBT	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
Δ10-THC-9R	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
Δ10-THC-9S	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
∆10-THC-Total	< LOQ	%	0.0065	< LOQ mg/3.7g 0.239
Δ8-THC⊥	< LOQ	%	0.0032	<loq 0.120<="" 3.7g="" mg="" td=""></loq>
Δ8-THCV	< LOQ	%	0.0032	<loq 0.120<="" 3.7g="" mg="" td=""></loq>
Δ9-THC⊥	0.229	%	0.0032	8.46 mg/3.7g 0.120
Δ9-THC-A⊥	< LOQ	%	0.0032	<loq 0.120<="" 3.7g="" mg="" td=""></loq>
Δ9-THC-Total ⊥	0.229	%	0.0061	8.47 mg/3.7g 0.224
Δ9-THCP	< LOQ	%	0.0032	<loq 0.120<="" 3.7g="" mg="" td=""></loq>
∆9-THCV	< LOQ	%	0.0032	< LOQ mg/3.7g 0.120
Δ9-THCV-A	< LOQ	%	0.0032	<loq 0.120<="" 3.7g="" mg="" td=""></loq>
∆9-THCV-Total	< LOQ	%	0.0060	< LOQ mg/3.7g 0.223

www.columbialaboratories.com

Page 1 of 8





Report Number:	25-003987/D001.R000
Report Date:	04/17/2025
ORELAP#:	OR100028
Purchase Order:	
Received:	04/14/25 16:54

Potency	Method: J AOAC 2015 V98-6 (mod) ^b				E	Batch: 2502	2734	Analyze: 2025-04-15 18:50	00:00
Analyte	Result	Units	LOQ	Notes	S Result	erving Size Units	#1 LOQ		
exo-THC Total Cannabinoids	< LOQ 0.866	% %	0.0032		< LOQ 32.0	mg/3.7g mg/3.7g	0.120)	

www.columbialaboratories.com

Page 2 of 8





Report Number:	25-003987/D001.R000
Report Date:	04/17/2025
ORELAP#:	OR100028
Purchase Order:	
Received:	04/14/25 16:54

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

ISO/IEC 17025:2017 accredited method.

 $^{\perp}$ = TNI accredited analyte.

Units of Measure

% = Percentage of sample mg/3.7g = Milligram per 3.7g % wt = μ g/g divided by 10,000

www.columbialaboratories.com

Columbia Laboratories A Tentamus Company

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



	Columbia LABORATORIES (& A Tentamus Company		Hemp & Cannabis Chain of Custody	TribeT	okes-1744393874
	Company Details Company: <u>TribeTokes</u> Contact: <u>Crystal Hoffman</u> Street Address: <u>55 Madison Avenue, Suite</u> City, State, Zip: <u>Morristown, NJ 07960</u> Email: <u>crystal@tribetokes.com</u> Contact Phone: <u>7208491726</u> Company Phone: <u>7208491726</u> Billing Information Billing Email: <u>degelis@tribetokes.com</u>		Project Details Turnaround Time: <u>5 Business Days Req. For Micro Testing Standard</u> Relinquishment Sampling, Courier & Shipping Options: <u>By Shipping Ser</u> Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves	<u>vice (USPS, UPS, Fedex)</u>	H0010 - Potency Cannabis (Basic+Expanded)
#	Sample Name	Material	Amount Provided	Reporting Unit	
1	Mango Live Resin Gummies	Cannabinoid Edible	20 each	% & mg/serving	\checkmark

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
Crystal Hoffman	04 11 2025	10:51	amp	04 14 2025	16:54	26.00	CL-0530

ID	Admin Submission Comment(s)	Name	Date, Time
1	update to a 3bd	rbs	04/14/2025 10:36

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of services associated with this COC. By signing * Relinquished by' you are agreeing to these terms.

Columbia Laboratories P: (503) 254-1794 12423 NE WHitaker Way info@columbialaboratories.com www.columbialaboratories.com Portland, OR 97230

www.columbialaboratories.com

Page 4 of 8

Page 1 of 1

uirements of NELAP and the Columbia Laboratories quality assurance plar Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	25-003987/D001.R000
Report Date:	04/17/2025
ORELAP#:	OR100028
Purchase Order:	
Received:	04/14/25 16:54

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

	Laboratory Quality Control Results								
J AOAC 2015 V98-6									
Laboratory Control									
Analyte	LCS	Result	Spike	Units	% Rec	Lim	nits	Evaluation	Notes
CBDVA	2	0.0310	0.0314	%	98.6	80.0 -		Acceptable	
CBDV	2	0.0324	0.0333	%	97.3	80.0 -	120	Acceptable	
CBE	2	0.0304	0.0320	%	94.9	80.0 -	· 120	Acceptable	
CBDA	1	0.0340	0.0349	%	97.4	90.0 -	· 110	Acceptable	
CBGA	1	0.0336	0.0342	%	98.3	80.0 -	==	Acceptable	
CBG	1	0.0339	0.0334	%	101	80.0 -	· 120	Acceptable	
CBD	1	0.0332	0.0327	%	101	90.0 -	· 110	Acceptable	
THCV	2	0.0319	0.0330	%	96.7	80.0 -	· 120	Acceptable	
d8THCV	2	0.0331	0.0341	%	97.3	80.0 -	· 120	Acceptable	
THCVA	2	0.0303	0.0307	%	98.7	80.0 -	· 120	Acceptable	
CBN	1	0.0329	0.0331	%	99.4	80.0 -	120	Acceptable	
exo-THC	2	0.0304	0.0315	%	96.6	80.0 -	120	Acceptable	
d9THC	1	0.0332	0.0331	%	100	90.0 -	· 110	Acceptable	
d8THC	1	0.0336	0.0345	%	97.3	90.0 -	110	Acceptable	
9S-d10THC	1	0.0344	0.0353	%	97.4	80.0 -	120	Acceptable	
CBL	2	0.0296	0.0316	%	93.5	80.0 -	120	Acceptable	
9R-d10THC	1	0.0344	0.0355	%	96.9	80.0 -	· 120	Acceptable	
CBC	2	0.0314	0.0331	%	94.9	80.0 -	120	Acceptable	
THCA	1	0.0384	0.0372	%	103	90.0 -	· 110	Acceptable	
CBCA	2	0.0312	0.0321	%	97.1	80.0 -	120	Acceptable	
CBLA	2	0.0306	0.0320	%	95.6	80.0 -	120	Acceptable	
d9THCP	2	0.0298	0.0318	%	93.9	80.0 -	120	Acceptable	
CBT	2	0.0298	0.0331	%	90.2	80.0 -	120	Acceptable	
Method Blank		-	-						•
Analyte	Re	sult	LOQ		Units	Lim	nits	Evaluation	Notes
CBDVA		.0Q	0.00321		%	< 0.0		Acceptable	
CBDV	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
CBE	<	.0Q	0.00321		%	< 0.00321		Acceptable	
CBDA		.0Q	0.00321		%	< 0.00321		Acceptable	
CBGA	<	.0Q	0.00321		%	< 0.00321		Acceptable	
CBG		.0Q	0.00321		%	< 0.00321		Acceptable	
CBD	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
THCV	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
d8THCV	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
THCVA	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
CBN	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
exo-THC	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
d9THC	<	.0Q	0.00321			< 0.0	0321	Acceptable	
d8THC	<	.0Q	0.00321	0.00321 %		< 0.0	0321	Acceptable	
9S-d10THC	<	.0Q	0.00321	0.00321 %		< 0.0	0321	Acceptable	
CBL	<	.0Q	0.00321			< 0.0	0321	Acceptable	
9R-d10THC	<	.0Q	0.00321			< 0.0	0321	Acceptable	
CBC	<	.0Q	0.00321			< 0.0	0321	Acceptable	
THCA	<	.0Q	0.00321		%	< 0.0	0321	Acceptable	
CBCA	<	.0Q	0.00321	1	%	< 0.0	0321	Acceptable	
CBLA		.00	0.00004			< 0.00321		Accontable	
CDLA	<l< td=""><td>.00</td><td>0.00321</td><td colspan="2">21 %</td><td>< 0.0</td><td>0321</td><td>Acceptable</td><td></td></l<>	.00	0.00321	21 %		< 0.0	0321	Acceptable	
d9THCP		.0Q .0Q	0.00321		%	< 0.0 < 0.0		Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

www.columbialaboratories.com

Page 5 of 8

uirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by the resurcesures resurces only to use parameters rested and to the samples as received by the laboratory. Lest results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	25-003987/D001.R000
Report Date:	04/17/2025
ORELAP#:	OR100028
Purchase Order:	
Received:	04/14/25 16:54

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6					Ba	tch ID: 2502734		
Sample Duplicate		Sample ID: 25-003931-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBG	0.00521	0.00512	0.00313	%	1.88	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBN	0.0135	0.0133	0.00313	%	1.05	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
d9THC	0.243	0.241	0.00313	%	0.945	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00313</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00313	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

www.columbialaboratories.com

Page 6 of 8





Report Number:	25-003987/D001.R000
Report Date:	04/17/2025
ORELAP#:	OR100028
Purchase Order:	
Received:	04/14/25 16:54



Page 7 of 8

www.conumbrataporationes.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430

www.columbialaboratories.com





 Report Number:
 25-003987/D001.R000

 Report Date:
 04/17/2025

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 04/14/25 16:54
 04/14/25 16:54

Explanation of QC Flag Comments:

Code	Explanation			
Q	Matrix interferences affecting spike or surrogate recoveries.			
Q1	Quality control result biased high. Only non-detect samples reported.			
Q2	Quality control outside QC limits. Data considered estimate.			
Q3	Sample concentration greater than four times the amount spiked.			
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.			
Q5	Spike results above calibration curve.			
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.			
R	Relative percent difference (RPD) outside control limit.			
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.			
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.			
LOQ1	Quantitation level raised due to low sample volume and/or dilution.			
LOQ2	Quantitaion level raised due to matrix interference.			
В	Analyte detected in method blank, but not in associated samples.			
B1	The sample concentration is greater than 5 times the blank concentration.			
B2	The sample concentration is less than 5 times the blank concentration.			

www.columbialaboratories.com

Page 8 of 8