



**Customer:** TribeTokes  
 New Jersey  
 United States of America (USA)  
**Product identity:** Northern Lights  
**Metrc ID:** .  
**Material:** Cannabinoid Extract  
**Laboratory ID:** 25-012163-0003  
**Evidence of Cooling:** No  
**Temp:** 22.8 °C  
**Lot #:** 27925.CNL

## Sample Results

| Potency                   |        |       |        |       | Method: J AOAC 2015 V98-6 (mod) <sup>b</sup> | Batch: 2507460 | Analyze: 10/14/25 |
|---------------------------|--------|-------|--------|-------|----------------------------------------------|----------------|-------------------|
| Analyte                   | Result | Units | LOQ    | Notes |                                              |                |                   |
| CBD <sup>±</sup>          | 43.0   | %     | 0.745  |       |                                              |                |                   |
| CBD-A <sup>±</sup>        | < LOQ  | %     | 0.0745 |       |                                              |                |                   |
| CBD-Total <sup>±</sup>    | 43.0   | %     | 0.810  |       |                                              |                |                   |
| CBG                       | 8.90   | %     | 0.0745 |       |                                              |                |                   |
| CBG-A                     | < LOQ  | %     | 0.0745 |       |                                              |                |                   |
| CBG-Total                 | 8.90   | %     | 0.139  |       |                                              |                |                   |
| CBN                       | 0.0917 | %     | 0.0745 |       |                                              |                |                   |
| Δ10-THC-9R                | < LOQ  | %     | 0.0745 |       |                                              |                |                   |
| Δ10-THC-9S                | < LOQ  | %     | 0.0745 |       |                                              |                |                   |
| Δ10-THC-Total             | < LOQ  | %     | 0.149  |       |                                              |                |                   |
| Δ8-THC <sup>±</sup>       | < LOQ  | %     | 0.0745 |       |                                              |                |                   |
| Δ9-THC <sup>±</sup>       | 0.125  | %     | 0.0745 |       |                                              |                |                   |
| Δ9-THC-A <sup>±</sup>     | 0.115  | %     | 0.0745 |       |                                              |                |                   |
| Δ9-THC-Total <sup>±</sup> | 0.226  | %     | 0.140  |       |                                              |                |                   |
| <b>Total Cannabinoids</b> | 52.2   | %     |        |       |                                              |                |                   |



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 25-012163/D003.R000  
**Report Date:** 10/15/2025  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/09/25 14:07

#### **Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

#### **Units of Measure**

% = Percentage of sample

=

% wt =  $\mu\text{g/g}$  divided by 10,000




**Laboratory Quality Control Results**

| J AOAC 2015 V98-6         |     |        |        |       | Batch ID: 2507460 |          |       |            |       |
|---------------------------|-----|--------|--------|-------|-------------------|----------|-------|------------|-------|
| Laboratory Control Sample |     |        |        |       |                   |          |       |            |       |
| Analyte                   | LCS | Result | Spike  | Units | % Rec             | Limits   |       | Evaluation | Notes |
| CBDVA                     | 2   | 0.0583 | 0.0580 | %     | 101               | 80.0     | - 120 | Acceptable |       |
| CBDV                      | 2   | 0.0617 | 0.0610 | %     | 101               | 80.0     | - 120 | Acceptable |       |
| CBE                       | 2   | 0.0668 | 0.0659 | %     | 101               | 80.0     | - 120 | Acceptable |       |
| CBDA                      | 1   | 0.0665 | 0.0640 | %     | 104               | 90.0     | - 110 | Acceptable |       |
| CBGA                      | 1   | 0.0734 | 0.0726 | %     | 101               | 80.0     | - 120 | Acceptable |       |
| CBG                       | 1   | 0.0676 | 0.0678 | %     | 99.7              | 80.0     | - 120 | Acceptable |       |
| CBD                       | 1   | 0.0664 | 0.0672 | %     | 98.9              | 90.0     | - 110 | Acceptable |       |
| THCV                      | 2   | 0.0631 | 0.0625 | %     | 101               | 80.0     | - 120 | Acceptable |       |
| d8THCV                    | 2   | 0.0624 | 0.0629 | %     | 99.2              | 80.0     | - 120 | Acceptable |       |
| THCVA                     | 2   | 0.0608 | 0.0550 | %     | 111               | 80.0     | - 120 | Acceptable |       |
| CBN                       | 1   | 0.0664 | 0.0683 | %     | 97.3              | 80.0     | - 120 | Acceptable |       |
| exo-THC                   | 2   | 0.0559 | 0.0574 | %     | 97.4              | 80.0     | - 120 | Acceptable |       |
| d9THC                     | 1   | 0.0740 | 0.0733 | %     | 101               | 90.0     | - 110 | Acceptable |       |
| d8THC                     | 1   | 0.0656 | 0.0674 | %     | 97.3              | 90.0     | - 110 | Acceptable |       |
| 9S-d10THC                 | 1   | 0.0741 | 0.0753 | %     | 98.3              | 80.0     | - 120 | Acceptable |       |
| CBL                       | 2   | 0.0609 | 0.0595 | %     | 102               | 80.0     | - 120 | Acceptable |       |
| 9R-d10THC                 | 1   | 0.0726 | 0.0751 | %     | 96.8              | 80.0     | - 120 | Acceptable |       |
| CBC                       | 2   | 0.0611 | 0.0629 | %     | 97.1              | 80.0     | - 120 | Acceptable |       |
| THCA                      | 1   | 0.0749 | 0.0790 | %     | 94.8              | 90.0     | - 110 | Acceptable |       |
| CBCA                      | 2   | 0.0604 | 0.0590 | %     | 102               | 80.0     | - 120 | Acceptable |       |
| CBLA                      | 2   | 0.0592 | 0.0585 | %     | 101               | 80.0     | - 120 | Acceptable |       |
| d9THCP                    | 2   | 0.0561 | 0.0573 | %     | 97.8              | 80.0     | - 120 | Acceptable |       |
| CBT                       | 2   | 0.0599 | 0.0616 | %     | 97.3              | 80.0     | - 120 | Acceptable |       |
| Method Blank              |     |        |        |       |                   |          |       |            |       |
| Analyte                   |     | Result | LOQ    | Units |                   | Limits   |       | Evaluation | Notes |
| CBDVA                     |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBDV                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBE                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBDA                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBGA                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBG                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBD                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| THCV                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| d8THCV                    |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| THCVA                     |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBN                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| exo-THC                   |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| d9THC                     |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| d8THC                     |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| 9S-d10THC                 |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBL                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| 9R-d10THC                 |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBC                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| THCA                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBCA                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBLA                      |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| d9THCP                    |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |
| CBT                       |     | <LOQ   | 0.0699 | %     |                   | < 0.0699 |       | Acceptable |       |

**Abbreviations**

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent


**Laboratory Quality Control Results**

| J AOAC 2015 V98-6 |        |             | Batch ID: 2507460         |       |        |        |            |       |
|-------------------|--------|-------------|---------------------------|-------|--------|--------|------------|-------|
| Sample Duplicate  |        |             | Sample ID: 25-012016-0001 |       |        |        |            |       |
| Analyte           | Result | Org. Result | LOQ                       | Units | RPD    | Limits | Evaluation | Notes |
| CBDVA             | 0.523  | 0.522       | 0.0677                    | %     | 0.0498 | < 20   | Acceptable |       |
| CBDV              | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| CBE               | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| CBDA              | 3.88   | 3.86        | 0.0677                    | %     | 0.444  | < 10   | Acceptable |       |
| CBGA              | 0.0824 | 0.0865      | 0.0677                    | %     | 4.90   | < 20   | Acceptable |       |
| CBG               | 3.11   | 3.10        | 0.0677                    | %     | 0.214  | < 20   | Acceptable |       |
| CBD               | 0.707  | 0.707       | 0.0677                    | %     | 0.0851 | < 10   | Acceptable |       |
| THCV              | 0.358  | 0.356       | 0.0677                    | %     | 0.589  | < 20   | Acceptable |       |
| d8THCV            | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| THCVA             | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| CBN               | 1.18   | 1.18        | 0.0677                    | %     | 0.155  | < 20   | Acceptable |       |
| exo-THC           | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| d9THC             | 72.1   | 72.0        | 0.0677                    | %     | 0.136  | < 10   | Acceptable |       |
| d8THC             | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 10   | Acceptable |       |
| 9S-d10THC         | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| CBL               | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| 9R-d10THC         | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| CBC               | 0.849  | 0.844       | 0.0677                    | %     | 0.554  | < 20   | Acceptable |       |
| THCA              | 0.134  | 0.134       | 0.0677                    | %     | 0.150  | < 10   | Acceptable |       |
| CBCA              | 0.993  | 1.01        | 0.0677                    | %     | 1.47   | < 20   | Acceptable |       |
| CBLA              | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| d9THCP            | <LOQ   | <LOQ        | 0.0677                    | %     | NA     | < 20   | Acceptable |       |
| CBT               | 0.164  | 0.168       | 0.0677                    | %     | 2.48   | < 20   | Acceptable |       |

**Abbreviations**

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 25-012163/D003.R000  
**Report Date:** 10/15/2025  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 10/09/25 14:07





## Explanation of QC Flag Comments:

| Code | Explanation                                                                                           |
|------|-------------------------------------------------------------------------------------------------------|
| A    | This analysis was performed on a VOA sample containing headspace.                                     |
| B    | Analyte detected in method blank, but not in associated samples.                                      |
| B1   | The sample concentration is greater than 5 times the blank concentration.                             |
| B2   | The sample concentration is less than 5 times the blank concentration.                                |
| B3   | Dilution water blank of BOD was above the recommended limit; associated samples could be high biased. |
| CP   | Client provided value.                                                                                |
| CV   | Calculated value.                                                                                     |
| E    | Analyte concentration exceeds the calibration range, results are estimated.                           |
| E1   | Estimated value.                                                                                      |
| E2   | Estimated value. Matrix interference observed.                                                        |
| H    | Holding time was exceeded.                                                                            |
| J    | Estimated value, above the detection limit and below the LOQ                                          |
| I    | Insufficient sample received to meet method requirements.                                             |
| LOQ1 | Quantitation level raised due to low sample volume and/or dilution.                                   |
| LOQ2 | Quantitation level raised due to matrix interference.                                                 |
| LOQ3 | < LOQ could be due to potential inhibition.                                                           |
| N1   | See case narrative                                                                                    |
| P    | Not preserved to the proper pH                                                                        |
| P1   | Storage temperature out of control                                                                    |
| P2   | Incubator temperature out of control                                                                  |
| Q    | Matrix interferences affecting spike or surrogate recoveries.                                         |
| Q1   | Quality control result biased high. Only non-detect samples reported.                                 |
| Q2   | Quality control outside QC limits. Data considered estimate.                                          |
| Q3   | Sample concentration greater than four times the amount spiked.                                       |
| Q4   | Non-homogenous sample matrix, affecting RPD result and/or % recoveries.                               |
| Q5   | Spike results above calibration curve.                                                                |
| Q6   | Quality control outside QC limits. Data acceptable based on remaining QC.                             |
| Q7   | Quality control outside QC limits.                                                                    |
| R    | Relative percent difference (RPD) outside control limit.                                              |
| R1   | RPD non-calculable, as sample or duplicate results are less than five times the LOQ.                  |
| R2   | Sample replicates RPD non-calculable, as only one replicate is within the analytical range.           |
| RE   | Re-extracted and/or re-analyzed.                                                                      |
| REH  | The original analysis was within holding time; re-analysis past holding time.                         |
| S    | Surrogate recovery outside control limit.                                                             |
| T    | Tentatively Identified Compound (TIC) by library search.                                              |
| T1   | Confirmed by secondary ion                                                                            |
| W    | Results are reported on dry weight basis.                                                             |

721 Cortaro Dr.  
Sun City Center, FL 33573  
www.acslab.com  
DEA No. RA0571996  
FL License # CMTL-0003  
CLIA No. 10D1094068

Crystal Resistant CBG/CBD Distillate

Sample Matrix:  
CBD/HEMP  
Derivative Products  
(Inhalation - Heated)

## Certificate of Analysis

Compliance Test

## Client Information:

TRIBETOKES

Batch # 0102DST227\_CRD  
Batch Date: 2024-09-29  
Extracted From: Hemp

Test Reg State: Oregon

Order # THE240930-030001  
Order Date: 2024-09-30  
Sample # AAFZ712

Sampling Date: 2024-10-01  
Lab Batch Date: 2024-10-01  
Completion Date: 2024-10-03

Initial Gross Weight: 108.100 g



Product Image



Heavy Metals  
Passed



Mycotoxins  
Passed



Pesticides  
Passed



Residual Solvents  
Passed



Pathogenic Microbiology  
Passed



## Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1015.500 mg

Passed  
SOP13.019 (Micro Array)

Dilution Factor: 1.000

| Analyte               | Result (cfu/g) | Analyte             | Result (cfu/g) |
|-----------------------|----------------|---------------------|----------------|
| Aspergillus flavus    | Absence in 1g  | Aspergillus terreus | Absence in 1g  |
| Aspergillus fumigatus | Absence in 1g  | Salmonella          | Absence in 1g  |
| Aspergillus niger     | Absence in 1g  | STEC E. Coli        | Absence in 1g  |

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

### Client Information:

TRIBETOKES

Batch # 0102DST227\_CRD  
Batch Date: 2024-09-29  
Extracted From: Hemp

Test Reg State: Oregon

Order # THE240930-030001  
Order Date: 2024-09-30  
Sample # AAFZ712

Sampling Date: 2024-10-01  
Lab Batch Date: 2024-10-01  
Completion Date: 2024-10-03

Initial Gross Weight: 108.100 g



### Heavy Metals

Specimen Weight: 253.000 mg

**Passed**  
SOP13.048 (ICP-MS)

Dilution Factor: 197

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 4.83      | 100       | 200                | <LOQ         | Lead (Pb)    | 11.76     | 100       | 500                | <LOQ         |
| Cadmium (Cd) | .64       | 100       | 200                | <LOQ         | Mercury (Hg) | .58       | 100       | 200                | <LOQ         |



### Mycotoxins

Specimen Weight: 602.600 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.490

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6         | 20                 | <LOQ         | Aflatoxin G2 | 2.7100E-1 | 6         | 20                 | <LOQ         |
| Aflatoxin B2 | 7.7000E-2 | 6         | 20                 | <LOQ         | Ochratoxin A | 7.5400E-1 | 3.8       | 20                 | <LOQ         |
| Aflatoxin G1 | 3.0400E-1 | 6         | 20                 | <LOQ         |              |           |           |                    |              |



### Residual Solvents - FL (CBD)

Specimen Weight: 18.800 mg

**Passed**  
SOP13.039 (GCMS)

Dilution Factor: 1.000

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094    | 0.16      | 8                  | <LOQ         | Heptane            | 0.0013    | 1.39      | 5000               | <LOQ         |
| 1,2-Dichloroethane | 0.0003    | 0.04      | 5                  | <LOQ         | Hexane             | 0.068     | 1.17      | 290                | <LOQ         |
| Acetone            | 0.015     | 2.08      | 5000               | <LOQ         | Isopropyl alcohol  | 0.0048    | 1.39      | 500                | <LOQ         |
| Acetonitrile       | 0.06      | 1.17      | 410                | <LOQ         | Methanol           | 0.0005    | 0.69      | 3000               | <LOQ         |
| Benzene            | 0.0002    | 0.02      | 2                  | <LOQ         | Methylene chloride | 0.0029    | 2.43      | 600                | <LOQ         |
| Butanes            | 0.4167    | 2.5       | 2000               | <LOQ         | Pentane            | 0.037     | 2.08      | 5000               | <LOQ         |
| Chloroform         | 0.0001    | 0.04      | 60                 | <LOQ         | Propane            | 0.031     | 5.83      | 2100               | <LOQ         |
| Ethanol            | 0.0021    | 2.78      | 5000               | <LOQ         | Toluene            | 0.0009    | 2.92      | 890                | <LOQ         |
| Ethyl Acetate      | 0.0012    | 1.11      | 5000               | <LOQ         | Total Xylenes      | 0.0001    | 2.92      | 2170               | <LOQ         |
| Ethyl Ether        | 0.0049    | 1.39      | 5000               | <LOQ         | Trichloroethylene  | 0.0014    | 0.49      | 80                 | <LOQ         |
| Ethylene Oxide     | 0.0038    | 0.1       | 5                  | <LOQ         |                    |           |           |                    |              |

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

**Client Information:**

**TRIBETOKES**

Batch # 0102DST227\_CRD  
Batch Date: 2024-09-29  
Extracted From: Hemp

Test Reg State: Oregon

Order # THE240930-030001  
Order Date: 2024-09-30  
Sample # AAFZ712

Sampling Date: 2024-10-01  
Lab Batch Date: 2024-10-01  
Completion Date: 2024-10-03

Initial Gross Weight: 108.100 g

**Pesticides**


Specimen Weight: 602.600 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.490

| Analyte              | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte                 | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin            | 2.8800E-1 | 28.23     | 100                | <LOQ         | Fludioxonil             | 1.7400E+0 | 48        | 100                | <LOQ         |
| Acephate             | 2.3000E-2 | 30        | 100                | <LOQ         | Hexythiazox             | 4.9000E-2 | 30        | 100                | <LOQ         |
| Acequinocyl          | 9.5640E+0 | 48        | 100                | <LOQ         | Imazalil                | 2.4800E-1 | 30        | 100                | <LOQ         |
| Acetamiprid          | 5.2000E-2 | 30        | 100                | <LOQ         | Imidacloprid            | 9.4000E-2 | 30        | 400                | <LOQ         |
| Aldicarb             | 2.6000E-2 | 30        | 100                | <LOQ         | Kresoxim Methyl         | 4.2000E-2 | 30        | 100                | <LOQ         |
| Azoxystrobin         | 8.1000E-2 | 10        | 100                | <LOQ         | Malathion               | 8.2000E-2 | 30        | 200                | <LOQ         |
| Bifenazate           | 1.4150E+0 | 30        | 100                | <LOQ         | Metalaxyl               | 8.1000E-2 | 10        | 100                | <LOQ         |
| Bifenthrin           | 4.3000E-2 | 30        | 200                | <LOQ         | Methiocarb              | 3.2000E-2 | 30        | 100                | <LOQ         |
| Boscalid             | 5.5000E-2 | 10        | 100                | <LOQ         | Methomyl                | 2.2000E-2 | 30        | 100                | <LOQ         |
| Captan               | 6.1200E+0 | 30        | 700                | <LOQ         | methyl-Parathion        | 1.7100E+0 | 10        | 100                | <LOQ         |
| Carbaryl             | 2.2000E-2 | 10        | 500                | <LOQ         | Mevinphos               | 2.1500E+0 | 10        | 100                | <LOQ         |
| Carbofuran           | 3.4000E-2 | 10        | 100                | <LOQ         | Myclobutanil            | 1.0290E+0 | 30        | 100                | <LOQ         |
| Chlorantraniliprole  | 3.3000E-2 | 10        | 1000               | <LOQ         | Naled                   | 9.5000E-2 | 30        | 250                | <LOQ         |
| Chlordane            | 1.0000E+1 | 10        | 100                | <LOQ         | Oxamyl                  | 2.5000E-2 | 30        | 500                | <LOQ         |
| Chlorfenapyr         | 3.4000E-2 | 30        | 100                | <LOQ         | Paclobutrazol           | 6.5000E-2 | 30        | 100                | <LOQ         |
| Chlormequat Chloride | 1.0800E-1 | 10        | 1000               | <LOQ         | Pentachloronitrobenzene | 1.3200E+0 | 10        | 150                | <LOQ         |
| Chlorpyrifos         | 3.5000E-2 | 30        | 100                | <LOQ         | Permethrin              | 3.4300E-1 | 30        | 100                | <LOQ         |
| Clofentezine         | 1.1900E-1 | 30        | 200                | <LOQ         | Phosmet                 | 8.2000E-2 | 30        | 100                | <LOQ         |
| Coumaphos            | 3.7700E+0 | 48        | 100                | <LOQ         | Piperonylbutoxide       | 2.9000E-2 | 30        | 3000               | <LOQ         |
| Cyfluthrin           | 3.1100E+0 | 30        | 500                | <LOQ         | Prallethrin             | 7.9800E-1 | 30        | 100                | <LOQ         |
| Cypermethrin         | 1.4490E+0 | 30        | 500                | <LOQ         | Propiconazole           | 7.0000E-2 | 30        | 100                | <LOQ         |
| Daminozide           | 8.8500E-1 | 30        | 100                | <LOQ         | Propoxur                | 4.6000E-2 | 30        | 100                | <LOQ         |
| Diazinon             | 4.4000E-2 | 30        | 100                | <LOQ         | Pyrethrins              | 2.3593E+1 | 30        | 500                | <LOQ         |
| Dichlorvos           | 2.1820E+0 | 30        | 100                | <LOQ         | Pyridaben               | 3.2000E-2 | 30        | 200                | <LOQ         |
| Dimethoate           | 2.1000E-2 | 30        | 100                | <LOQ         | Spinetoram              | 8.0000E-2 | 10        | 200                | <LOQ         |
| Dimethomorph         | 5.8300E+0 | 48        | 200                | <LOQ         | Spinosad                | 8.8000E-2 | 30        | 100                | <LOQ         |
| Ethoprophos          | 3.6000E-1 | 30        | 100                | <LOQ         | Spiromesifen            | 2.6100E-1 | 30        | 100                | <LOQ         |
| Etofenprox           | 1.1600E-1 | 30        | 100                | <LOQ         | Spirotetramat           | 8.9000E-2 | 30        | 100                | <LOQ         |
| Etoxazole            | 9.5000E-2 | 30        | 100                | <LOQ         | Spiroxamine             | 1.3100E-1 | 30        | 100                | <LOQ         |
| Fenhexamid           | 5.1000E-1 | 10        | 100                | <LOQ         | Tebuconazole            | 6.7000E-2 | 30        | 100                | <LOQ         |
| Fenoxycarb           | 1.0700E-1 | 30        | 100                | <LOQ         | Thiacloprid             | 6.4000E-2 | 30        | 100                | <LOQ         |
| Fenpyroximate        | 1.3800E-1 | 30        | 100                | <LOQ         | Thiamethoxam            | 5.0000E-2 | 30        | 500                | <LOQ         |
| Fipronil             | 1.0700E-1 | 30        | 100                | <LOQ         | Trifloxystrobin         | 3.7000E-2 | 30        | 100                | <LOQ         |
| Flonicamid           | 5.1700E-1 | 30        | 100                | <LOQ         |                         |           |           |                    |              |

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

