



Customer: TribeTokes
 New Jersey
 United States of America (USA)
Product identity: Remedy
Metrc ID: .
Material: Cannabinoid Extract
Laboratory ID: 25-012163-0002
Evidence of Cooling: No
Temp: 22.8 °C
Lot #: 27925.CR

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^b			Batch: 2507460	Analyze: 10/14/25
Analyte	Result	Units	LOQ	Notes	
CBD [±]	43.7	%	0.752		
CBD-A [±]	< LOQ	%	0.0752		
CBD-Total [±]	43.7	%	0.818		
CBG	8.89	%	0.0752		
CBG-A	< LOQ	%	0.0752		
CBG-Total	8.89	%	0.140		
CBN	0.0920	%	0.0752		
Δ10-THC-9R	< LOQ	%	0.0752		
Δ10-THC-9S	< LOQ	%	0.0752		
Δ10-THC-Total	< LOQ	%	0.150		
Δ8-THC [±]	< LOQ	%	0.0752		
Δ9-THC [±]	0.132	%	0.0752		
Δ9-THC-A [±]	0.114	%	0.0752		
Δ9-THC-Total [±]	0.232	%	0.141		
Total Cannabinoids	52.9	%			



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-012163/D002.R000
Report Date: 10/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 10/09/25 14:07

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% = Percentage of sample

=

% wt = $\mu\text{g/g}$ divided by 10,000


Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2507460**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0583	0.0580	%	101	80.0 - 120	Acceptable	
CBDV	2	0.0617	0.0610	%	101	80.0 - 120	Acceptable	
CBE	2	0.0668	0.0659	%	101	80.0 - 120	Acceptable	
CBDA	1	0.0665	0.0640	%	104	90.0 - 110	Acceptable	
CBGA	1	0.0734	0.0726	%	101	80.0 - 120	Acceptable	
CBG	1	0.0676	0.0678	%	99.7	80.0 - 120	Acceptable	
CBD	1	0.0664	0.0672	%	98.9	90.0 - 110	Acceptable	
THCV	2	0.0631	0.0625	%	101	80.0 - 120	Acceptable	
d8THCV	2	0.0624	0.0629	%	99.2	80.0 - 120	Acceptable	
THCVA	2	0.0608	0.0550	%	111	80.0 - 120	Acceptable	
CBN	1	0.0664	0.0683	%	97.3	80.0 - 120	Acceptable	
exo-THC	2	0.0559	0.0574	%	97.4	80.0 - 120	Acceptable	
d9THC	1	0.0740	0.0733	%	101	90.0 - 110	Acceptable	
d8THC	1	0.0656	0.0674	%	97.3	90.0 - 110	Acceptable	
9S-d10THC	1	0.0741	0.0753	%	98.3	80.0 - 120	Acceptable	
CBL	2	0.0609	0.0595	%	102	80.0 - 120	Acceptable	
9R-d10THC	1	0.0726	0.0751	%	96.8	80.0 - 120	Acceptable	
CBC	2	0.0611	0.0629	%	97.1	80.0 - 120	Acceptable	
THCA	1	0.0749	0.0790	%	94.8	90.0 - 110	Acceptable	
CBCA	2	0.0604	0.0590	%	102	80.0 - 120	Acceptable	
CBLA	2	0.0592	0.0585	%	101	80.0 - 120	Acceptable	
d9THCP	2	0.0561	0.0573	%	97.8	80.0 - 120	Acceptable	
CBT	2	0.0599	0.0616	%	97.3	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBDV	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBE	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBDA	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBGA	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBG	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBD	<LOQ	0.0699	%	< 0.0699	Acceptable	
THCV	<LOQ	0.0699	%	< 0.0699	Acceptable	
d8THCV	<LOQ	0.0699	%	< 0.0699	Acceptable	
THCVA	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBN	<LOQ	0.0699	%	< 0.0699	Acceptable	
exo-THC	<LOQ	0.0699	%	< 0.0699	Acceptable	
d9THC	<LOQ	0.0699	%	< 0.0699	Acceptable	
d8THC	<LOQ	0.0699	%	< 0.0699	Acceptable	
9S-d10THC	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBL	<LOQ	0.0699	%	< 0.0699	Acceptable	
9R-d10THC	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBC	<LOQ	0.0699	%	< 0.0699	Acceptable	
THCA	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBCA	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBLA	<LOQ	0.0699	%	< 0.0699	Acceptable	
d9THCP	<LOQ	0.0699	%	< 0.0699	Acceptable	
CBT	<LOQ	0.0699	%	< 0.0699	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6			Batch ID: 2507460					
Sample Duplicate			Sample ID: 25-012016-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.523	0.522	0.0677	%	0.0498	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
CBDA	3.88	3.86	0.0677	%	0.444	< 10	Acceptable	
CBGA	0.0824	0.0865	0.0677	%	4.90	< 20	Acceptable	
CBG	3.11	3.10	0.0677	%	0.214	< 20	Acceptable	
CBD	0.707	0.707	0.0677	%	0.0851	< 10	Acceptable	
THCV	0.358	0.356	0.0677	%	0.589	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
CBN	1.18	1.18	0.0677	%	0.155	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
d9THC	72.1	72.0	0.0677	%	0.136	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.0677	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
CBC	0.849	0.844	0.0677	%	0.554	< 20	Acceptable	
THCA	0.134	0.134	0.0677	%	0.150	< 10	Acceptable	
CBCA	0.993	1.01	0.0677	%	1.47	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0677	%	NA	< 20	Acceptable	
CBT	0.164	0.168	0.0677	%	2.48	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-012163/D002.R000
Report Date: 10/15/2025
ORELAP#: OR100028
Purchase Order:
Received: 10/09/25 14:07





Explanation of QC Flag Comments:

Code	Explanation
A	This analysis was performed on a VOA sample containing headspace.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.
B3	Dilution water blank of BOD was above the recommended limit; associated samples could be high biased.
CP	Client provided value.
CV	Calculated value.
E	Analyte concentration exceeds the calibration range, results are estimated.
E1	Estimated value.
E2	Estimated value. Matrix interference observed.
H	Holding time was exceeded.
J	Estimated value, above the detection limit and below the LOQ
I	Insufficient sample received to meet method requirements.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
LOQ3	< LOQ could be due to potential inhibition.
N1	See case narrative
P	Not preserved to the proper pH
P1	Storage temperature out of control
P2	Incubator temperature out of control
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
Q7	Quality control outside QC limits.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
RE	Re-extracted and/or re-analyzed.
REH	The original analysis was within holding time; re-analysis past holding time.
S	Surrogate recovery outside control limit.
T	Tentatively Identified Compound (TIC) by library search.
T1	Confirmed by secondary ion
W	Results are reported on dry weight basis.

721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003
CLIA No. 10D1094068

Crystal Resistant CBG/CBD Distillate
Sample Matrix:
CBD/HEMP
Derivative Products
(Inhalation - Heated)

Certificate of Analysis

Compliance Test

Client Information:**TRIBETOKES**

Batch # 0102DST227_CRD
Batch Date: 2024-09-29
Extracted From: Hemp

Test Reg State: Oregon

Order # THE240930-030001
Order Date: 2024-09-30
Sample # AAFZ712

Sampling Date: 2024-10-01
Lab Batch Date: 2024-10-01
Completion Date: 2024-10-03

Initial Gross Weight: 108.100 g



Product Image

**Heavy Metals**
Passed**Mycotoxins**
Passed**Pesticides**
Passed**Residual Solvents**
Passed**Pathogenic Microbiology**
Passed**Pathogenic Microbiology SAE (MicroArray)**

Specimen Weight: 1015.500 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

Certificate of Analysis

Compliance Test

Client Information:

TRIBETOKES

Batch # 0102DST227_CRD
Batch Date: 2024-09-29
Extracted From: Hemp

Test Reg State: Oregon

Order # THE240930-030001
Order Date: 2024-09-30
Sample # AAFZ712

Sampling Date: 2024-10-01
Lab Batch Date: 2024-10-01
Completion Date: 2024-10-03

Initial Gross Weight: 108.100 g



Heavy Metals

Specimen Weight: 253.000 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 197

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ



Mycotoxins

Specimen Weight: 602.600 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



Residual Solvents - FL (CBD)

Specimen Weight: 18.800 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

TRIBETOKES

Batch # 0102DST227_CRD
Batch Date: 2024-09-29
Extracted From: Hemp

Test Reg State: Oregon

Order # THE240930-030001
Order Date: 2024-09-30
Sample # AAFZ712

Sampling Date: 2024-10-01
Lab Batch Date: 2024-10-01
Completion Date: 2024-10-03

Initial Gross Weight: 108.100 g

Pesticides


Specimen Weight: 602.600 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ					


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

